Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

1 Stick Curtain Walling

Comar 6EFT



Capped



2sided SGH



2sided SGV



4sided SG



Concealed Vent

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Fabricators Guide

Introduction

Designing reassurance from the first stroke of a pencil is often the desire of even the most innovative practice. A proven system that has the potential of providing bespoke solutions exceeding current capability is now a reality.

To provide a flexible approach to aluminium facade engineering, Comar Architectural Aluminium Systems launch Comar 6 EFT utilising European wide design and extrusion expertise with Comar's market leading supply, support and delivery.

Comar 6 EFT delivers curtain walling with 50 mm standardised sight-lines with options for 4 sided structural glazing, 2 sided structural glazing with horizontal (SGH) or vertical (SGV) capping, concealed vents which maintain the slim 50 mm sight - lines.

Comar 6 EFT offers architects a custom-made solution with time proven reassurance. Design flexibility is at your finger-tips which offers performance beyond the capability of existing systems.

Comar 6 EFT Curtain Walling

The Comar 6 EFT 50 Curtain Walling Systems have been developed by experienced designers and are tested to the best European test institutes.

Comar 6 EFT Curtain Walling and Comar 6 EFT Concealed Vent System is the result of in-depth research and architecturally oriented developments.

The Comar 6 EFT Curtain Walling Systems:

1 Facades

1. Comar 6 EFT Capped Curtain Walling
Capped glazing system for vertical applications in single or double glazing.

2. Comar 6 EFT 2 Sided SGH
Two sided structural glazing with horizontal cover cap for vertical applications in single or double glazing.

3. Comar 6 EFT 2 Sided SGV
Two sided structural glazing with vertical cover cap for vertical or sloping applications in single or double glazing.

4. Comar 6 EFT 4 Sided SG
Four sided structural glazing for vertical or sloping applications in single or double glazing.

2 Windows

5. Comar 6 EFT Concealed Vent
Top project or side project window range,
Integrated into Comar 6 EFT Fully Capped Curtain Walling, Comar 6 EFT 2sided SGV or SGH & Comar 6 EFT 4sided SG

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

Mullions



1.00



1025
30mm mullion
Direct fix to steel or timber



1070
85mm mullion



1072
105mm mullion



1069
115mm mullion



1073
125mm mullion



1074
135mm mullion



1076
150mm mullion



1075
150mm mullion

Profiles Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Broadsheets 1

Comar 6EFT

Mullions



1.01

Profiles Identification



1077	1085	1078	1080
175mm mullion	175mm mullion	180mm mullion	195mm mullion

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

Mullions



1.02

Profiles Identification



1082
210mm mullion



1087 *
225mm mullion



1090 *
275mm mullion



1095 *
300mm mullion

* These profiles are for project only and not held in stock. Profiles will be subject to longer lead times. Please contact our office for information.

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 04-17

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Broadsheets 1

Comar 6EFT

Split Mullions

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

1.03

Profiles Identification



1033
Split mullion nosing adaptor



1037
105mm split mullion



1038
125mm split mullion



1039
135mm split mullion



1040
150mm split mullion



1042
180mm split mullion



1043
195mm split mullion



1044
210mm split mullion

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

Transoms



1125
30mm transom Direct fix to steel or timber



1149
45mm transom





















1.04

Profiles Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 04-17

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Broadsheets 1

Comar 6EFT

Transoms



1.05

Profiles Identification











* These profiles are for project only and not held in stock. Profiles will be subject to longer lead times. Please contact our office for information.

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 04-17

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

Cover caps & pressure plates



1201
13mm cover cap

1203
16mm cover cap

1204
20mm cover cap



1210
45 degree cover cap

1.06



1211
75mm cover cap
Bullnose



1213
100mm cover cap
Square



1214
165mm cover cap
Bullnose



1221
45mm cover cap
Square 'H'

Profiles Identification

1251
Duo gasket
pressure plate

1252
Standard
pressure plate



1253
Screw fixing
pressure plate
For deep caps

1259
Pressure plate
for sloped roof

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Broadsheets 1

Comar 6EFT

Pressure plates





1260
15° pressure plate
external facet



1264
45° adaptor
internal corner



1268
30° pressure plate
internal facet

1.07

Profiles Identification



1261
22.5° pressure plate
external facet



1265
45° adaptor
external corner



1269
37.5° pressure plate
internal facet



1262
30° pressure plate
external facet



1266
15° pressure plate
internal facet



1270
45° pressure plate
internal corner



1263
37.5° pressure plate
external facet



1267
22.5° pressure plate
internal facet

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

Glazing adaptors



1.08

1328
18mm glazing adaptor



1331
15° glazing adaptor
external facet



1336
15° glazing adaptor
internal facet



1329
22mm glazing adaptor



1332
22.5° glazing adaptor
external facet



1337
22.5° glazing adaptor
internal facet

1330
6mm glazing adaptor



1333
30° glazing adaptor
external facet



1338
30° glazing adaptor
internal facet



1334
37.5° glazing adaptor
external facet



1339
37.5° glazing adaptor
internal facet



1344
45° glazing adaptor
internal facet

Profiles Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 09-17

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Broadsheets 1

Comar 6EFT

Frames, perimeters, Inserts, clamps, setting blocks & fixing lugs



1.09

1335
Single glazing frame



1348
Wall connector

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

Profiles Identification



1345
42mm glazing pocket closer

1392
(2404)
Structural glazing 90° corner glass clamp



1346
Spandrel panel frame



1425
Direct fix to steel or timber fixing lug

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

Cleats, flat bars, mullion sleeves & concealed vents



1300
Transom cleat



1305
Transom cleat



CS246
(2530/2538/2539)
Corner Cleat



1.09.1



1373
Mullion's connector



1366
Mullion sleeve



1368
Mullion sleeve



1431
(2535)
Corner Cleat

1230
30mm x 2mm flat bar



4003
Concealed vent outer frame



4011
Concealed vent sash

Profiles Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 01-18

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Standard Profiles

1

Comar 6EFT

Future Additions



1.09.2

Profiles Identification

FUTURE ADDITION

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

Internal glazing gaskets & moulded corners

Illustration	Description	Illustration	Description
	2101 Glazing gasket 6mm Material: EPDM Colour: Black Packing unit: 100 m	 Size: 45 x 45 mm	2102 Corner moulding for 2101 Material: EPDM Colour: Black Packing unit: 100 pcs.
	2103 Glazing gasket 8mm Material: EPDM Colour: Black Packing unit: 100 m	 Size: 45 x 45 mm	2104 Corner moulding for 2103 Material: EPDM Colour: Black Packing unit: 100 pcs.
	2105 Glazing gasket 10mm Material: EPDM Colour: Black Packing unit: 100 m	 Size: 45 x 45 mm	2106 Corner moulding for 2105 Material: EPDM Colour: Black Packing unit: 100 pcs.
	2107 Glazing gasket 12mm Material: EPDM Colour: Black Packing unit: 100 m	 Size: 45 x 45 mm	2108 Corner moulding for 2107 Material: EPDM Colour: Black Packing unit: 100 pcs.
	2109 Glazing gasket 14mm Material: EPDM Colour: Black Packing unit: 100 m	 * Size: 45 x 45 mm	2110 * Corner moulding for 2109 Material: EPDM Colour: Black Packing unit: 100 pcs.
	2111 Glazing gasket 16mm Material: EPDM Colour: Black Packing unit: 100 m	 * Size: 45 x 45 mm	2112 * Corner moulding for 2111 Material: EPDM Colour: Black Packing unit: 100 pcs.

* Non standard item



1.10

Fabricators Guide

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 05-17

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Comar 6EFT

External glazing gaskets

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

Illustration	Description
 For pressure plate: 1251	2150 Glazing gasket " DUO Gasket " (in combination with 1251) Material: EPDM Colour: Black Packing unit: 100 m
	2162 Glazing gasket Material: EPDM Colour: Black Packing unit: 50 m
	2163 Glazing gasket Material: EPDM Colour: Black Packing unit: 50 m
	2164 Glazing gasket Material: EPDM Colour: Black Packing unit: xx m
	2165 Glazing gasket Material: EPDM Colour: Black Packing unit: xx m
	2170 Joint sealant gasket Material: EPDM Colour: Black Packing unit: 100 m

Illustration	Description
	2171 Joint sealant gasket Material: EPDM Colour: Black Packing unit: 100 m1
	2172 Joint sealant gasket Material: EPDM Colour: Black Packing unit: 100 m1
	2174 Joint sealant gasket Material: EPDM Colour: Black Packing unit: 100 m1
	2175 Joint gasket Material: EPDM Colour: Black Packing unit: 50 m
	2176 Joint sealant gasket Material: EPDM Colour: Black Packing unit: 100 m1
	2178 Joint sealant gasket Material: EPDM Colour: Black Packing unit: 100 m1

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

Glazing gaskets

Illustration	Description
	2153 Extension gasket Material: EPDM Colour: Black Packing unit: 100 m
	2155 Extension gasket Material: EPDM Colour: Black Packing unit: 100 m
	2166 6mm Extension gasket high performance Material: EPDM Colour: Black Packing unit: 100 m
	2167 8mm Extension gasket high performance Material: EPDM Colour: Black Packing unit: 100 m
	2168 14mm Extension gasket high performance Material: EPDM Colour: Black Packing unit: 100 m
	2179 Cruciform for drainage diverter Material: EPDM Colour: Black Packing unit: 10 pcs.

Illustration	Description
	2180 Cruciform gasket Material: EPDM Colour: Black Packing unit: 10 pcs.
	2182 Joint sealant gasket Material: EPDM Colour: Black Packing unit: 100 m

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Accessories

1

Comar 6EFT

Obsolete when stocks are exhausted



1.12.1

Illustration	Description	Illustration	Description
	2306 Glass setting block 33 mm Profile: 1403 Material: Aluminium Finish: Mill Packing unit: 100 pcs. WILL BE REPLACED BY 1409		
Obsolete when stocks are exhausted.  Size: 4.8 x 22	3092 4.8 x 22 Countersunk head For glazing clamps 2403 & 2300 Material: Stainless steel Packing unit: 1000 pcs.		

Profiles Identification

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

Thermal break & pocket seal

Illustration	Description
	2028 Transom seal Material: EPDM Colour: Black Packing unit: 100 pcs.
 Standard length 6.45m	2033 Groove for K02 Gasket Material: PVC Colour: Black Packing unit: 10 pcs.
	2185 Seal for split mullion (30 x 2mm) Material: EPDM Colour: Black Packing unit: 50 m
	2186 Seal for split mullion (for 4mm sheet) Material: EPDM Colour: Black Packing unit: 100 m
	2187 Seal for split mullion Material: EPDM Colour: Black Packing unit: 100 m
	2490 Pocket seal gasket Material: EPDM Colour: Black Packing unit: 200 m

Illustration	Description
 Standard length: 3m	2197 Thermal break Material: PVC Colour: Black Packing unit: 10 pcs.
 Standard length: 3m	2200 Thermal break Material: PVC Colour: Black Packing unit: 10 pcs.
 Standard length: 3m	2203 Thermal break Material: PVC Colour: Black Packing unit: 10 pcs.
 Standard length 6.45m	6003 End profile Material: PVC Colour: Black Packing unit: 5 pcs.



1.13

Profiles Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Accessories 1

Comar 6EFT

Diverters

Profiles Identification

1.14

Illustration	Description
	2019 Mullion drainage diverter Material: PP-Nylon Colour: Black Packing unit: 50 pcs.
	2020 Mullion drainage diverter Closed spout Material: PP- Nylon Colour: Black Packing unit: 50 pcs.
	2021 Mullion drainage diverter Closed spout Material: PP- Nylon Colour: Black Packing unit: 50 pcs.
	2022 Mullion drainage diverter Material: PP- Nylon Colour: Black Packing unit: 50 pcs.
	2023 Mullion drainage diverter Material: PP- Nylon Colour: Black Packing unit: 50 pcs.
	2024 Mullion drainage diverter Material: PP- Nylon Colour: Black Packing unit: 50 pcs.

Illustration	Description
	2025 Transom drainage diverter 4sided SG Material: PP Colour: Black Packing unit: 50 pcs.
	2026 Mullion drainage diverter Closed spout Material: PP- Nylon Colour: Black Packing unit: 50 pcs.
	2027 Mullion drainage diverter Closed spout Material: PP- Nylon Colour: Black Packing unit: 50 pcs.
 8-9 mm after compression	2030 Mullion coupling moulding Material: EPDM Colour: Black Packing unit: 50 pcs.
	2032 35mm Extension drainage diverter Material: PP- Nylon Colour: Black Packing unit: 10 pcs.

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

Glazing setting blocks

Illustration	Description
	2301 Glass setting block 15 mm Profile: 1403 Material: Aluminium Finish: Mill Packing unit: 100 pcs.
	2305 Glass setting block 27 mm Profile: 1403 Material: Aluminium Finish: Mill Packing unit: 100 pcs.
	1409 Glass setting block 33 mm Profile: 1412 Material: Aluminium Finish: Mill Packing unit: 10 pcs.
	1411 Glass setting block 40 mm Profile: 1415 Material: Aluminium Finish: Mill Packing unit: 10 pcs.
 	1401 Glass setting block 28 mm Width 100mm 1441 Glass setting block 28 mm Width 400mm Material: Aluminium Finish: Black Packing unit: 10 pcs.

Illustration	Description
 	1402 Glass setting block 32 mm Width 100mm 1442 Glass setting block 32 mm Width 400mm Material: Aluminium Finish: Black Packing unit: 10 pcs.
 	1407 Glass setting block 36 mm Width 100mm 1447 Glass setting block 36 mm Width 400mm Material: Aluminium Finish: Black Packing unit: 10 pcs.
 	1404 Glass setting block 40 mm Width 100mm 1444 Glass setting block 40 mm Width 400mm Material: Aluminium Finish: Black Packing unit: 10 pcs.

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 02-17

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Accessories

1

Comar 6EFT

Glazing setting blocks sleeves & cleats



1.16

Profiles Identification

Illustration	Description
	1400 Glass setting block 44 mm Width 100mm Material: Aluminium Finish: Black Packing unit: 10 pcs.
	1405 Glass setting block 48 mm Width 100mm Material: Aluminium Finish: Black Packing unit: 10 pcs.
	1445 Glass setting block 44 mm Width 400mm Non-Stock item Material: Aluminium Finish: Black Packing unit: 10 pcs.
	2310 Transom cleat (spring loaded) Material: Aluminium pin/polyamide housing lock to transom with super glue (SE009XSLF) Packing unit: 50 pcs.
	2538 Corner cleat 8.2 mm For frames made from profile 1335 Profile: 1435 Material: Aluminium Finish: Mill Packing unit: 10 pcs

Illustration	Description
	1406 Glass setting block 52 mm Width 100mm Material: Aluminium Finish: Black Packing unit: 10 pcs.
	1446 Glass setting block 52 mm Width 400mm Non-Stock item Material: Aluminium Finish: Black Packing unit: 10 pcs.
Standard length: 6.45m	1366 33mm mullion sleeve/spigot kit Material: Aluminium /plastic Colour: Black Finish: Mill Packing unit: 1 pcs.
 Standard length: 6.45m	1368 79mm mullion sleeve/spigot kit Material: Aluminium /plastic Colour: Black Finish: Mill Packing unit: 1 pcs.
	2539 Corner cleat 4.8 mm For frames made from profile 1346 Profile: 1435 Material: Aluminium Finish: Mill Packing unit: 50 pcs

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 12-17

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

Fixing clamps - Structural glazing



1.17

Profiles Identification

Illustration	Description
  5.5 x 23 Torx type	2403 Double glass clamp For 2 or 4 sided structurally bonded units. 2sided SGH/ 2sided SGV /4sided SG Profile: 1391 Length: 35 mm Material: Aluminium Finish: Red powder coating Packing unit: 100 pcs.
 5.5 x 23 Torx type	2409 Glass clamp machined For support 400mm glass setting block Profile: 2403 Length: 35 mm Material: Aluminium Finish: Red powder coating Packing unit: 10 pcs.
 5.5 x 23 Torx type	2431 Double glass Clamp. For 2 or 4 sided structural bonded units. 2sided SGH 4sided SG Length: 35 mm Material: Aluminium Colour: Orange Powder Coating Packing unit: 100 pcs.

Illustration	Description
  5.5 x 23 Torx type	2406 Panel clamp For 2 or 4 sided structural bonded units. 2sided SGH/2sided SGV /4sided SG Profile: 1393 Length: 35mm Material: Aluminium Finish: Blue powder coating. Packing unit: 100 pcs.
 2x 5.5 x 29 Torx type	1390 6mm Extension Profile For 2403 Glass Clamp Profile: 1390 Length: 70 mm Material: Aluminium Finish: Black powder coating Packing unit: 10 pcs.
  5.5 x 23 Torx type	2441 Double glass Clamp. For 2 or 4 sided structural bonded units. 2sided SGH 4sided SG Length: 35 mm Material: Aluminium Colour: White Powder coating Packing unit: 100 pcs.

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Comar 6EFT

Fixing clamps - Structural glazing

Profiles Identification

1.18

Illustration	Description
  5.5 x 23 Torx type	2432 Double glass Clamp. For 2 or 4 sided structural bonded units. 2sided SGH 4sided SG Length: 35 mm Material: Aluminium Colour: Green powder coating Packing unit: 100 pcs.
  5.5 x 23 Torx type	2433 Double glass Clamp. For 2 or 4 sided structural bonded units. 2sided SGH 4sided SG Length: 35 mm Material: Aluminium Colour: Magenta powder coating Packing unit: 50 pcs.
 	2404 Double glass Corner Clamp For 2 or 4 sided structural bonded units. 2sided SGH/4sided SG Profile: 1392 Length: 50mm Material: Aluminium Finish: Violet powder coating Packing unit: 10 pcs.

Illustration	Description
 5.5 x 23 Torx type	2442 Double glass Clamp. For 2 or 4 sided structural bonded units. 2sided SGH 4sided SG Length: 35 mm Material: Aluminium Colour: Grey powder coating Packing unit: 100 pcs.
  5.5 x 23 Torx type	2443 Double glass Clamp. For 2 or 4 sided structural bonded units. 2sided SGH 4sided SG Length: 35 mm Material: Aluminium Colour: Black powder coating Packing unit: 100 pcs.
  5.5 x 23 Torx type	2448 Double glass Clamp. For 2 or 4 sided structural bonded units. 2sided SGH 4side SG Length: 35 mm Material: Aluminium Colour: Brown powder coating Packing unit: 100 pcs.

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

Glazing Inserts

Illustration	Description
 No ID line	**2401** Double glazing insert For 2 or 4 sided structural bonded units. 2sided SGH/ 2sided SGV /4sided SG Profile: 1389 Length: 100 mm Material: Aluminium Colour: Silver anodised Packing unit: 100 pcs.
 One ID line	**2402** Double glazing insert For 2 or 4 sided structural bonded units. 2sided SGH/2sided SGV /4sided SG Profile: 1388 Length: 100 mm Material: Aluminium Colour: Silver anodised Packing unit: 100 pcs.
 Two ID lines	**2405** Double glazing insert For 2 or 4 sided structural bonded units. 2sided SGH/2sided SGV /4sided SG Profile: 1387 Length: 100 mm Material: Aluminium Colour: Silver anodised Packing unit: 100 pcs.

Illustration	Description
	**2416** Double glazing insert For 2 or 4 sided structural bonded units. 2sided SGH/ 2sided SGV /4sided SG Profile: 1316 Length: 100 mm Material: Aluminium Colour: Silver anodised Packing unit: 10 pcs.
	**2418** Double glazing insert For 2 or 4 sided structural bonded units. 2sided SGH/2sided SGV /4sided SG Profile: 1318 Length: 100 mm Material: Aluminium Colour: Black anodised Packing unit: 10 pcs.
	**2420** Double glazing insert For 2 or 4 sided structural bonded units. 2sided SGH/2sided SGV /4sided SG Profile: 1390 Length: 100 mm Material: Aluminium Colour: Black anodised Packing unit: 10 pcs.

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Accessories 1

Comar 6EFT

Transom Cleats

1.20

Profiles Identification

Illustration	Description
	2551 Transom cleat For transom 1151 & 1143 (85mm) Material: Aluminium Finish: Mill finish Packing unit: 20 Profile: 1300 Length: 64 mm
	2564 Transom cleat For transom 1164 (105mm) Material: Aluminium Finish: Mill finish Packing unit: 20 Profile: 1300 Length: 84 mm
	2552 Transom cleat For transom 1152 (135mm) Material: Aluminium Finish: Mill finish Packing unit: 20 Profile: 1300 Length: 114 mm
	2554 Transom cleat For transom 1154 & 1145 (150mm) Material: Aluminium Finish: Mill finish Packing unit: 20 Profile: 1300 Length: 129 mm
	2556 Transom cleat For transom 1156 (180mm) Material: Aluminium Finish: Mill finish Packing unit: 20 Profile: 1300 Length: 159 mm

Illustration	Description
	2557 Transom cleat For transom 1157 (195mm) Material: Aluminium Finish: Mill finish Packing unit: 20 Profile: 1300 Length: 174 mm
	2558 Transom cleat For transom 1158 (210mm) Material: Aluminium Finish: Mill finish Packing unit: 20 Profile: 1300 Length: 189 mm
see 6.08  Cut to length to suit	2565 - 1166 (125mm) 2566 - 1152 (135mm) 2567 - 1145 &1154 (150mm) 2568 - 1147 (175mm) 2569 - 1156 (180mm) 2570 - 1157 (195mm) 2571 - 1148 (200mm) 2572 - 1158 (210mm) Cut from Profile 1305
	2559 * Transom cleat For transom 11589 (225mm) Material: Aluminium Finish: Mill finish Packing unit: 20 Profile: Tube 43x43x4 Length: 135 mm
	2560 * Transom cleat For transom 1162 (275mm) Material: Aluminium Finish: Mill finish Packing unit: 20 Profile: Tube 43x43x4 Length: 185 mm

* These profiles are for project only and not held in stock. Profiles will be subject to longer lead times. Please contact our office for information.

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 04-17

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

PVC Accessories & tapes

Illustration	Description
	2031 End Cap for 1259 pressure plate Material: PVC Colour: Black Packing unit: 10 pcs.
Included in spigot 1366 & 1368  Standard length: 6.45m	2181 Mullion sleeve/spigot isolator Material: PVC Colour: Black Packing unit: 1 pc.
 Length: 50mm	2410 Drainage U channel Material: PVC Colour: White Packing unit: 20 pcs.
	3016 Screw Head Cap Material: PVC Colour: EWHT- White DBLK- Black BSVR- Silver Packing unit: 50 pcs.
	6001 Butyl tape 50mm Wide 25m Length
	6002 Butyl tape 100mm Wide 25m Length

Illustration	Description
	6010 EPDM membrane 250mm Wide 25m Length
	6011 EPDM membrane 150mm Wide 25m Length
	6012 EPDM membrane with gasket 150mm Wide 25m Length
	6013 EPDM membrane with gasket 250mm Wide 25m Length
	6020 Membrane adhesive 600 ml



1.21

Profiles Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Accessories 1

Comar 6EFT

Pressure plate screws

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

1.22

Profiles Identification

Illustration	Description	Illustration	Description
Size: 5.5 x 16	3002 Screw Allen key 5.5 x 16 Material: Stainless steel Packing unit: 500 pcs.	 Size: 5.5 x 38	3008 Screw Allen key 5.5 x 38 Material: Stainless steel Packing unit: 500 pcs.
Size: 5.5 x 13	3003 Screw Allen key 5.5 x 13 Material: Stainless steel Packing unit: 500 pcs.	 Size: 5.5 x 42	3090 Screw Allen key 5.5 x 42 Material: Stainless steel Packing unit: 200 pcs.
 Size: 5.5 x 19	3004 Screw Allen key 5.5 x 19 Material: Stainless steel Packing unit: 500 pcs.	 Size: 5.5 x 45	3009 Screw Allen key 5.5 x 45 Material: Stainless steel Packing unit: 500 pcs.
 Size: 5.5 x 22	3005 Screw Allen key 5.5 x 22 Material: Stainless steel Packing unit: 500 pcs.	 Size: 5.5 x 50	3010 Screw Allen key 5.5 x 50 Material: Stainless steel Packing unit: 200 pcs.
 Size: 5.5 x 25	3006 Screw Allen key 5.5 x 25 Material: Stainless steel Packing unit: 500 pcs.	 Size: 5.5 x 55	3011 Screw Allen key 5.5 x 55 Material: Stainless steel Packing unit: 100 pcs.
 Size: 5.5 x 32	3007 Screw Allen key 5.5 x 32 Material: Stainless steel Packing unit: 500 pcs.	 Size: 5.5 x 60	3012 Screw Allen key 5.5 x 60 Material: Stainless steel Packing unit: 100 pcs.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

Screws

Illustration	Description
 Size: 5.5 x 65	3013 Screw Allen key 5.5 x 65 Material: Stainless steel Packing unit: 100 pcs.
 Size: 5.5 x 70	3014 Screw Allen key 5.5 x 70 Material: Stainless steel Packing unit: 100 pcs.
 Size: 5.5 x 75	3015 Screw Allen key 5.5 x 75 Material: Stainless steel Packing unit: 100 pcs.
Size: 3.5 x 9	3020 3.5 x 9 Pan head For fixing large cover caps Material: Stainless steel Packing unit: 500 pcs.
Size: 3.9 x 16	3021 Screw 3.9 x 16 DIN 7981 C-Z Transom-Mullion fixing Material: Stainless steel Packing unit: 1000 pcs.
 Size: 4.8 x 65	3022 Screw 4.8 x 65 DIN 7981 C-Z Ladder unit transom-mullion fixing Material: Stainless steel Packing unit: 200 pcs.

Illustration	Description
 Size: 4.8 x 19	3023 4.8 x 19 Pan head For 4sided weephole covers Material: Stainless steel Packing unit: 500 pcs.
 Size: 4.2 x 25	3024 4.2 x 25 Countersunk head For glazing adaptor 18mm , 1328 Material: Stainless steel Packing unit: 500 pcs.
Size: 4.8 x 13	3025 4.8 x 13 Pan head For transom cleats Material: Stainless steel Packing unit: 500 pcs.
 Size: 4.2 x 32	3026 4.2 x 32 Countersunk head For glazing adaptor 22mm , 1329 Material: Stainless steel Packing unit: 500 pcs.
 Size: 3.9 x 19	3027 Screw 3.9 x 19 DIN 7981 C-Z Transom-Mullion fixing for facetted joints Material: Stainless steel Packing unit: 1000 pcs.
Size: 3.6 x 13	3028 3.6 x 13 Countersunk head For split mullion nosing adaptor 1033 Material: Stainless steel Packing unit: 1000 pcs.



1.23

Profiles Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Accessories 1

Comar 6EFT

Screws & washers

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

1.24

Profiles Identification

Illustration	Description
	3029 5.5 x 23 Torx T x 20 For glazing clamps 2403 & 2300 Material: Stainless steel Packing unit: 100 pcs.
	3030 5.5 x 29 Torx T x 20 For glazing clamps 2403 + 1407 Material: Stainless steel Packing unit: 100 pcs.
	3093 5.5 x 25 Countersunk head Mullion's connector Material: Stainless steel Packing unit: 500 pcs.
	FX7004 No8 x 13 Pan head self drill screw Material: Stainless steel Packing unit: 100 pcs.
	3091 M6 x 12.5 x 0.8 Nylon washer Material: Nylon Packing unit: 1000 pcs.
	3094 Washer Ø6 for 3093 screw Material: Stainless steel Packing unit: 100 pcs.

Illustration	Description
	1889 6 x 30 Dowel pin Mullion's connector Material: Stainless steel Packing unit: 10 pcs.
	1890 Tube Ø11x3 Material: Aluminium Packing unit: 50 pcs.
	1891 Tube Ø11x3 Material: Aluminium Packing unit: 50 pcs.
	FX008 No10 x 13 Flange head ST/ST pozidrive Material: Stainless steel Packing unit: 100 pcs.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 09-17

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

Fixing and sliding brackets



1.25

Profiles Identification

Illustration	Description
	CW671 Wall fixing bracket (Jamb) 175 mm Material: Aluminium Finish: Mill Packing unit: 1 pcs.
	CW672 Wall fixing bracket (Intermediate) 175 mm Material: Aluminium Finish: Mill Packing unit: 1 pcs.

Accessories

1

Comar 6EFT

Fixing & sliding brackets

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

1.26

Profiles Identification

Illustration	Description
	CW673 Wall sliding bracket (Jamb) 130 mm Material: Aluminium Finish: Mill Packing unit: 1 pcs.
	CW674 Wall Sliding bracket (Intermediate) 130mm Material: Aluminium Finish: Mill Packing unit: 1 pcs.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.

Future Additions



1.27

FUTURE ADDITION

Fabricators Guide

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Accessories

1

Comar 6EFT

Future Additions



1.28 - 1.49

Profiles Identification

FUTURE ADDITION

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

1025 - Mullion - 30mm
Direct fix to steel or timber



Area = 537.9 mm²
Perimeter = 372 mm
Length = 6.45 m

Visible Surface _ _ _ _ _ _ _
Secondary Surface . . . . . .

1.50

1033 - Split mullion adaptor



Area = 248.1 mm²
Periphery = 217 mm
Length = 6.45 m

Secondary Surface . . . . . .

Profile Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date :10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Standard Profiles 1

Comar 6EFT



1037 - Split mullion 105mm

I_{xx} = 68.3 cm^4
I_{yy} = 4.1 cm^4
Z_{xx} = 12.5 cm^3
Z_{yy} = 3.9 cm^3

1.51





Perimeter = 417 mm
Length = 6.45 m

Visible Surface _ _ _ _ _ _
Secondary Surface .....

1038 - Split mullion 125mm

I_{xx} = 115.1 cm^4
I_{yy} = 4.9 cm^4
Z_{xx} = 17.9 cm^3
Z_{yy} = 4.0 cm^3



Perimeter = 457 mm
Length = 6.45 m

Visible Surface _ _ _ _ _ _
Secondary Surface .....

Profiles Identification

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.



1.52

Profile Identification

1039 - Split mullion 135mm

I_{xx} = 141.3 cm^4
I_{yy} = 5.2 cm^4
Z_{xx} = 20.2 cm^3
Z_{yy} = 5.0 cm^3





Perimeter = 417 mm
Length = 6.45 m
Visible Surface _ _ _ _ _ _
Secondary Surface .....

1040 - Split mullion 150mm

I_{xx} = 187.9 cm^4
I_{yy} = 5.7 cm^4
Z_{xx} = 24.0 cm^3
Z_{yy} = 5.5 cm^3



Perimeter = 507 mm
Length = 6.45 m
Visible Surface_ _ _ _ _ _
Secondary Surface .....

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date :10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Standard Profiles 1

Comar 6EFT



1042 - Split mullion - 180mm



1.53

Perimeter = 567 mm
Length = 6.45 m

Visible Surface – – – – – –
Secondary Surface .....



I_{xx} = 310.1 cm
I_{yy} = 6.7 cm
Z_{xx} = 32.8 cm
Z_{yy} = 6.5 cm

Profiles Identification

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

1043 - Split mullion - 195mm





1.54

Perimeter = 597 mm
Length = 6.45 m

Visible Surface _ _ _ _ _ _
Secondary Surface .....



I_{xx} = 387.1 cm^4
I_{yy} = 7.3 cm^4
Z_{xx} = 37.8 cm^3
Z_{yy} = 6.0 cm^3

Profiles Indentification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Standard Profiles 1

Comar 6EFT



1044 - Split mullion - 210mm

1.55

Perimeter = 627 mm
Length = 6.45 m

Visible Surface _ _ _ _ _ _
Secondary Surface .....

Profiles Identification



I_{xx} = 481.0 cm^4
I_{yy} = 7.9 cm^4
Z_{xx} = 43.7 cm^3
Z_{yy} = 6.5 cm^3



Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.



1069 - Mullion - 115mm



Perimeter = 506 mm
Length = 6.45 m

Visible Surface _ _ _ _ _ _ _
Secondary Surface .....

1070 - Mullion - 85mm



Perimeter = 448 mm
Length = 6.45 m

Visible Surface _ _ _ _ _ _ _
Secondary Surface .....

1.56

Profiles Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date :10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Standard Profiles 1

Comar 6EFT



1072 - Mullion - 105 mm

1.57



Perimeter = 487 mm
Length = 6.45 m

Visible Surface – – – – – –
Secondary Surface .....

Profiles Identification

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.



1073 - Mullion - 125 mm



1074 - Mullion - 135 mm



1.58

Profile Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date :10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Standard Profiles 1

Comar 6EFT



1075 - Mullion - 150 mm 1076 - Mullion - 150 mm

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

1.59

Profiles Identification





comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

1 Standard Profiles

Comar 6EFT



1077 - Mullion - 175 mm



1078 - Mullion - 180 mm



OBSOLETE WHEN STOCKS EXHAUSTED

1.60

Profile Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date :10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Standard Profiles 1

Comar 6EFT





1080 - Mullion - 195mm

1.61

Perimeter = 666 mm
Length = 6.45 m

Visible Surface _ _ _ _ _ _
Secondary Surface .....



I_{xx} = 852.6 cm^4
I_{yy} = 62.7 cm^4
Z_{xx} = 75.4 cm^3
Z_{yy} = 25.1 cm^3

Profiles Identification

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

1082 - Mullion - 210 mm



1085 - Mullion - 175 mm





1.62

Profiles Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Standard Profiles 1

Comar 6EFT



1087 - Mullion - 225 mm



1090 - Mullion - 275 mm



1.62.1

Profiles Identification

PROJECT ONLY

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 06-17

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

1095 - Mullion - 300 mm



1.62.2



Profiles Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue:05
Date :05-17

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Comar 6EFT

Profiles Identification

1.63

1125 - Transom- 30 mm Direct to steel fix only



Perimeter = 302.2 mm
Length = 6.45 m
Visible Surface _ _ _ _ _
Secondary Surface .....



1143 - Transom- 85 mm



I_{xx} = 101.89 cm^4
I_{yy} = 28.34 cm^4
Z_{xx} = 17.53 cm^3
Z_{yy} = 11.34 cm^3



Perimeter = 376.9 mm
Length = 6.45 m
Visible Surface _____
Secondary Surface _____

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.



1.64

1144 - Transom - 115 mm



I_{xx} = 210.13 cm^4
I_{yy} = 36.20 cm^4
Z_{xx} = 27.45 cm^3
Z_{yy} = 14.48 cm^3



Perimeter = 436.9 mm
Length = 6.45 m
Visible Surface _ _ _ _ _ _
Secondary Surface .....

1145 - Transom - 150 mm



I_{xx} = 372.00 cm^4
I_{yy} = 45.37 cm^4
Z_{xx} = 40.92 cm^3
Z_{yy} = 18.15 cm^3



Perimeter = 506.9 mm
Length = 6.45 m
Visible Surface _ _ _ _ _ _
Secondary Surface .....

Profile Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date :10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Standard Profiles 1

Comar 6EFT

Profiles Identification

1147 - Transom - 175 mm

1.65



I_{xx} = 559.13 cm^4
I_{yy} = 53.35 cm^4
Z_{xx} = 52.85 cm^3
Z_{yy} = 21.34 cm^3



Perimeter = 556.9 mm
Length = 6.45 m
Visible Surface _ _ _ _ _ _
Secondary Surface .....

1148 - Transom - 200 mm



I_{xx} = 772.27 cm^4
I_{yy} = 60.57 cm^4
Z_{xx} = 65.21 cm^3
Z_{yy} = 24.23 cm^3



Perimeter = 606.75 mm
Length = 6.45 m
Visible Surface _ _ _ _ _ _
Secondary Surface .....

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.



1.66

1149- Transom - 45 mm





I_{xx} = 19.9 cm^4
I_{yy} = 12.8 cm^4
Z_{xx} = 6.0 cm^3
Z_{yy} = 5.1 cm^3

Perimeter = 296 mm
Length = 6.45 m
Visible Surface _ _ _ _ _ _
Secondary Surface .....

1150- Transom - 60 mm





I_{xx} = 36.3 cm^4
I_{yy} = 15.5 cm^4
Z_{xx} = 9.2 cm^3
Z_{yy} = 6.2 cm^3

Perimeter = 329 mm
Length = 6.45 m
Visible Surface _ _ _ _ _ _
Secondary Surface .....

Profile Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date :10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Comar 6EFT



1.67

1151 - Transom - 85 mm



I_{xx} = 77.2 cm^4
I_{yy} = 19.9 cm^4
Z_{xx} = 14.8 cm^3
Z_{yy} = 7.9 cm^3



Perimeter = 379 mm
Length = 6.45 m
Visible Surface _ _ _ _ _ _
Secondary Surface .....

1152 - Transom - 135mm



I_{xx} = 247.9 cm^4
I_{yy} = 35.5 cm^4
Z_{xx} = 31.9 cm^3
Z_{yy} = 14.2 cm^3



Perimeter = 476 mm
Length = 6.45 m
Visible Surface _ _ _ _ _ _
Secondary Surface .....

Profiles Identification

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.



1.68

1154 - Transom 150mm



I_{xx} = 317.3 cm^4
I_{yy} = 39,0 cm^4
Z_{xx} = 37.3 cm^3
Z_{yy} = 15.6 cm^3



Perimeter = 506 mm
Length = 6.45 m
Visible Surface _ _ _ _ _
Secondary Surface .....

1156 - Transom 180mm



I_{xx} = 489.4 cm^4
I_{yy} = 45.9 cm^4
Z_{xx} = 49.1 cm^3
Z_{yy} = 18.4 cm^3



Perimeter = 565 mm
Length = 6.45 m
Visible Surface _ _ _ _ _
Secondary Surface .....

Profiles Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Standard Profiles 1

Comar 6EFT

Profiles Identification

1157 - Transom 195mm

1.69



I_{xx} = 622.7 cm^4
I_{yy} = 53.2 cm^4
Z_{xx} = 57.4 cm^3
Z_{yy} = 21.3 cm^3



Perimeter = 595 mm
Length = 6.45 m
Visible Surface _ _ _ _ _ _
Secondary Surface .....

1158 - Transom 210mm



I_{xx} = 764.1 cm^4
I_{yy} = 59.1 cm^4
Z_{xx} = 65.6 cm^3
Z_{yy} = 23.6 cm^3

Perimeter = 625 mm
Length = 6.45 m
Visible Surface _ _ _ _ _ _
Secondary Surface .....

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.



1.70

1159 - Transom 225mm



I_{xx} = 1350.7 cm^4
I_{yy} = 89.1 cm^4
Z_{xx} = 95.8 cm^3
Z_{yy} = 35.6 cm^3

Perimeter = 656 mm
Length = 6.10 m
Visible Surface _ _ _ _ _ _
Secondary Surface . . . . . .

1162 - Transom 275mm



I_{xx} = 2225.7 cm^4
I_{yy} = 106.2 cm^4
Z_{xx} = 133.4 cm^3
Z_{yy} = 42.5 cm^3

Perimeter = 656 mm
Length = 6.10 m
Visible Surface _ _ _ _ _ _
Secondary Surface . . . . . .

Profiles Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date :04-17

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Standard Profiles 1

Comar 6EFT



1164 - Transom -105 mm



1.71

Profiles Identification

I_{xx} = 130.0 cm^4
I_{yy} = 25.5 cm^4
Z_{xx} = 21.1 cm^3
Z_{yy} = 10.2 cm^3



Perimeter = 419 mm
Length = 6.45 m
Visible Surface _ _ _ _ _ _
Secondary Surface . . . . . .

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 04-17

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.

Future Additions



1.72

FUTURE ADDITION

Profiles Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date :10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Standard Profiles 1

Comar 6EFT



1201- Cover cap - 13mm

1.73



Perimeter = 149 mm
Length = 6.45 m

Visible Surface – – – – – –

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

Profiles Identification

1203 - Cover cap - 16mm

Perimeter = 174 mm
Length = 6.45 m

Visible Surface – – – – – –



1204 - Cover cap - 20mm



Perimeter = 190 mm
Length = 6.45 m

Visible Surface – – – – – –

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.



1210 - Cover cap - 45°



1.74

Perimeter = 164 mm
Length = 6.45 m

Visible Surface – – – – – –

1211 - Cover cap bull nose - 75mm



Perimeter = 263 mm
Length = 6.45 m

Visible Surface – – – – – –

Profiles Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date :10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Standard Profiles 1

Comar 6EFT

1213 - Cover cap - 100 mm

1.75



Perimeter = 365 mm
Length = 6.45 m

Visible Surface – – – – – –

Profiles Identification

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

1214 - Cover cap bull nose - 165 mm

1.76



Perimeter = 454 mm
Length = 6.45 m

Visible Surface – – – – – –

Profiles Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date :10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Comar 6EFT



1221 - Cover cap - 45 mm

1.77



Perimeter = 289 mm
Length = 6.45 m

Visible Surface – – – – – –

1259 - Pressure plate for roof



Perimeter = 137 mm
Length = 6.45 m

Visible Surface – – – – – –

Profiles Identification

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.



1251 - Pressure plate - Duo gasket

Perimeter = 150 mm
Length = 6.45 m

Visible Surface – – – – – –



1.78

1252 - Pressure plate - Standard



Perimeter = 130 mm
Length = 6.45 m

Visible Surface – – – – – –

1253 - Pressure plate - Screw fix

Perimeter = 214 mm
Length = 6.45 m

Visible Surface – – – – – –



Profiles Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date :10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Standard Profiles 1

Comar 6EFT



1.79

1260 - Pressure plate - 15°



Perimeter = 250 mm
Length = 6.45 m

Visible Surface – – – – – –
Secondary Surface .....

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

Profiles Identification

1261 - Pressure plate - 22.5°

Perimeter = 275 mm
Length = 6.45 m

Visible Surface – – – – – –
Secondary Surface .....



1262 - Pressure plate - 30°



Perimeter = 305 mm
Length = 6.45 m

Visible Surface – – – – –
Secondary Surface .....

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.



1.80

1263 - Pressure plate - 37.5°



Perimeter = 360 mm
Length = 6.45 m

Visible Surface – – – – – –
Secondary Surface .....

1264 - Corner adaptor

Perimeter = 241 mm
Length = 6.45 m

Visible Surface – – – – – –



Profiles Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date :10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Comar 6EFT



1.81

1265 - Corner mullion adaptor - 45°



Perimeter = 399 mm
Length = 6.45 m

Visible Surface _ _ _ _ _ _ _
Secondary Surface . . . . . .

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

Profiles Identification

1266 - Pressure plate - 15°

Perimeter = 151 mm
Length = 6.45 m

Visible Surface _ _ _ _ _ _ _



1267 - Pressure plate - 22.5°



Perimeter = 155 mm
Length = 6.45 m

Visible Surface _ _ _ _ _ _ _

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.



1268 - Pressure plate - 30°



Perimeter = 160 mm
Length = 6.45 m

Visible Surface _ _ _ _ _ _

1.82

1269 - Pressure plate - 37.5°



Perimeter = 168 mm
Length = 6.45 m

Visible Surface _ _ _ _ _ _

1270 - Pressure plate - 45°



Perimeter = 154 mm
Length = 6.45 m

Visible Surface _ _ _ _ _ _

Profiles Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date :10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Standard Profiles 1

Comar 6EFT



1.83

Profiles Identification

1300 - Transom cleat



Perimeter = 282 mm
Length = 6.45 m

Visible Surface _ _ _ _ _ _

1305 - Transom cleat



Perimeter = 312 mm
Length = 6.45 m

Visible Surface _ _ _ _ _ _

1373 - Mullion's connector



Perimeter = 910 mm
Length = 3.45 m

Visible Surface _ _ _ _ _ _

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.



1328 - Glazing adaptor - 18mm

Perimeter = 121 mm
Length = 6.45 m

Visible Surface – – – – – –
Secondary Surface .....



1.84

1329 - Glazing adaptor - 22mm



Perimeter = 137 mm
Length = 6.45 m

Visible Surface – – – – – –
Secondary Surface .....

1330 - Glazing adaptor - 18mm

Perimeter = 59 mm
Length = 6.45 m

Visible Surface – – – – – –
Secondary Surface .....



1331 - Glazing adaptor - 15°



Perimeter = 58 mm
Length = 6.45 m

Visible Surface – – – – – –
Secondary Surface .....

Profiles Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date :10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Comar 6EFT



1332 - Glazing adaptor - 22.5°

1.85



Perimeter = 61 mm
Length = 6.45 m

Visible Surface _ _ _ _ _ _
Secondary Surface . . . . . .

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

Profiles Identification

1333 - Glazing adaptor - 30°

Perimeter = 67 mm
Length = 6.45 m

Visible Surface _ _ _ _ _ _
Secondary Surface . . . . . .



1334 - Glazing adaptor - 37.5°



Perimeter = 73 mm
Length = 6.45 m

Visible Surface _ _ _ _ _ _
Secondary Surface . . . . . .

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.



1335 - Spandrel frame - 18 mm



Perimeter = 155 mm
Length = 6.45 m

Visible Surface – – – – – –
Bonding Surface ——···——

1.86

1336 - Glazing adaptor - 15° (internal corner)



Perimeter = 86 mm
Length = 6.45 m

Visible Surface – – – – – –
Secondary Surface ·····

1337 - Glazing adaptor - 22.5° (internal corner)



Perimeter = 104 mm
Length = 6.45 m

Visible Surface – – – – – –
Secondary Surface ·····

Profiles Identification

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Comar 6EFT



1.87

1338 - Glazing adaptor - 30° (internal corner)



Perimeter = 112 mm
Length = 6.45 m

Visible Surface – – – – – –
Secondary Surface . . . . . .

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

Profiles Identification

1339 - Glazing adaptor - 37.5° (internal corner)

Perimeter = 121 mm
Length = 6.45 m

Visible Surface – – – – – –
Secondary Surface . . . . . .



1344 - Glazing adaptor - 45° (internal corner)



Perimeter = 149 mm
Length = 6.45 m

Visible Surface – – – – – –
Secondary Surface . . . . . .

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.



1.88

1345 - 42mm glazing pocket closer

Perimeter = 104 mm
Length = 6.45 m

Visible Surface – – – – – –



1346 - Composite panel frame



Perimeter = 104 mm
Length = 6.45 m

Visible Surface – – – – – –

1348 - Wall connection

Perimeter = 208 mm
Length = 6.45 m

Visible Surface – – – – – –



Profiles Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date :10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Comar 6EFT



1.89

1366 - Mullion sleeve - 40.3mm



I_{xx} = 5.6 cm^4
I_{yy} = 8.2 cm^4
Z_{xx} = 3.3 cm^3
Z_{yy} = 4.1 cm^3



Perimeter = 200 mm
Length = 6.45 m

Visible Surface – – – – – –

1368 - Mullion sleeve - 85.3mm



I_{xx} = 61.7 cm^4
I_{yy} = 7.3 cm^4
Z_{xx} = 15.6 cm^3
Z_{yy} = 3.7 cm^3



Perimeter = 458 mm
Length = 6.45 m

Visible Surface – – – – – –

Profiles Identification

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.



1.90

1431 - Corner cleat - 4.5 mm



Perimeter = xxx mm
Length = 6.45 m

Visible Surface – – – – – –

CS246 - Corner cleat - 11.8 mm



Perimeter = xxx mm
Length = 6.45 m

Visible Surface – – – – – –

Profiles Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date :01-18

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Comar 6EFT



1.91



1387 - Double glazed spacer bar insert (14mm)

Perimeter = 155 mm
Length = 6.45 m

Visible Surface – – – – – –

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

Profiles Identification

1388 - Double glazed spacer bar insert (12mm)

Perimeter = 167 mm
Length = 6.45 m

Visible Surface – – – – – –



1389 - Double glazed spacer bar insert (10mm)



Perimeter = 112 mm
Length = 6.45 m

Visible Surface – – – – – –

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.



1316 - Double glazed spacer bar insert (16mm)



Perimeter = 121 mm
Length = 6.45 m

Visible Surface – – – – – –

1.92

1318 - Double glazed spacer bar insert (18mm)



Perimeter = 125 mm
Length = 6.45 m

Visible Surface – – – – – –

1390 - Double glazed spacer bar insert (20mm)



Perimeter = 129 mm
Length = 6.45 m

Visible Surface – – – – – –

Profiles Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date :10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Comar 6EFT



1425 - Direct fix to steel fixing lug

1.93



Perimeter = 125 mm
Length = 6.45 m

Visible Surface – – – – – –

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

Profiles Identification

1230 - Flat bar - 30mm x 2mm



Perimeter = 64 mm
Length = 6.45 m

Visible Surface – – – – – –

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.



1403 - Glass settling block - 5mm x 33mm



Perimeter = 89.3 mm
Length = 6.45 m

Visible Surface – – – – – –

1.94

1415 - Glass setting block - 4mm x 40 mm



Perimeter = 104 mm
Length = 6.45 m

Visible Surface – – – – – –

1412 - Glass settling block - 4mm x 33mm

Perimeter = 87 mm
Length = 6.45 m

Visible Surface – – – – – –



Profiles Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date :10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Comar 6EFT



1391 - Double glass clamp



Perimeter = 87 mm
Length = 6.45 m

Visible Surface _ _ _ _ _ _ _

1.95

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

1392 - 2sided SGH/4sided SG Corner double glazed clamp

Profiles Identification

Perimeter = 189 mm
Length = 6.45 m

Visible Surface _ _ _ _ _ _ _



1393 - Panel clamp



Perimeter = 88 mm
Length = 6.45 m

Visible Surface _ _ _ _ _ _ _

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.



4003 - Concealed vent outer frame

1.96



Profiles Identification

Perimeter = 419.5 mm
Length = 6.45 m

Visible Surface – – – – – –

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date :10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Standard Profiles 1

Comar 6EFT



4011 - Concealed vent inner frame

1.97

Profiles Identification



Perimeter = 320 mm
Length = 6.45 m

Visible Surface – – – – – –
Bonding Surface ——···——

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.

Future Additions



1.98

FUTURE ADDITION

Fabricators Guide

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Standard Profiles

1

Comar 6EFT

Future Additions



1.99

Profiles Identification

FUTURE ADDITION

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16