
comar
ARCHITECTURAL ALUMINIUM SYSTEMS

STANDARD PROFILES


SCALE FULL SIZE (A4) | ISSUED NOVEMBER 2013

CS452 - HORIZONTAL SLIDER INTERLOCK




PERIPHERY = 208
STD. LENGTH = 6450
BOX QTY. = 16
VISIBLE SURFACE _____
SECONDARY SURFACE .....
NON-VISIBLE SURFACE ~~~~~
CRITICAL AREA ||||||||||


CS453 - FIXED LIGHT TRANSFER PROFILE



CS453-2
Perimeter: 167

CS453-3
Perimeter: 165





IXX = 14.9 cm⁴
IYY = 3.6 cm⁴
ZXX = 3.9 cm³
ZYY = 1.2 cm³

PERIPHERY = 277
STD. LENGTH = 6450
BOX QTY. = 6
VISIBLE SURFACE _____
SECONDARY SURFACE .....
NON-VISIBLE SURFACE ~~~~~

A Member of the Parkside group

ALL DIMENSIONS IN MM


comar
ARCHITECTURAL ALUMINIUM SYSTEMS

STANDARD PROFILES

SCALE FULL SIZE (A4) | ISSUED OCTOBER 2013

CS694 - CURTAIN WALL COVER CAP (66 mm)

PERIPHERY = 266
STD. LENGTH = 6450
BOX QTY. = 8
VISIBLE SURFACE ---------



SPARE

CS696 NOW OBSOLETE

A Member of the Parkside group

ALL DIMENSIONS IN MM

comar
ARCHITECTURAL ALUMINIUM SYSTEMS


STANDARD PROFILES

SCALE FULL SIZE (A4) | ISSUED OCTOBER 2013

SPARE

CS697 NOW OBSOLETE

CS699 - CURTAIN WALL COVER CAP (20 mm)



PERIPHERY = 184
STD. LENGTH = 6450
BOX QTY. = 20
VISIBLE SURFACE _____

A Member of the Parkside group


ALL DIMENSIONS IN MM


comar
ARCHITECTURAL ALUMINIUM SYSTEMS

STANDARD PROFILES


SCALE FULL SIZE (A4) | **ISSUED NOVEMBER 2013**

CS866 - ECO DOOR
OPEN IN MIDRAL





PERIPHERY = 394
STD. LENGTH = 5000
BOX QTY. = 4
VISIBLE SURFACE ----------
SECONDARY SURFACE .....



IXX = 25.4 cm⁴
IYY = 55.9 cm⁴
ZXX = 7.5 cm³
ZYY = 11.2 cm³

A Member of the Parkside group ltd


ALL DIMENSIONS IN MM

comar
ARCHITECTURAL ALUMINIUM SYSTEMS

STANDARD PROFILES


SCALE FULL SIZE (A4) | ISSUED OCTOBER 2013

CS995 - GLAZING BEAD 23 - 29mm



PERIPHERY = 143
STD. LENGTH = 6450
BOX QTY. = 10
VISIBLE SURFACE _____

CS996 - GLAZING BEAD 29 - 35mm



PERIPHERY = 149
STD. LENGTH = 6450
BOX QTY. = 10
VISIBLE SURFACE _____

A Member of the Parkside group ltd

ALL DIMENSIONS IN MM