



1

Stick Curtain Walling


Comar 6EFT




Capped




2sided SGH



2sided SGV



4sided SG



Concealed Vent

Introduction

Designing reassurance from the first stroke of a pencil is often the desire of even the most innovative practice. A proven system that has the potential of providing bespoke solutions exceeding current capability is now a reality.

To provide a flexible approach to aluminium facade engineering, Comar Architectural Aluminium Systems launch Comar 6 EFT utilising European wide design and extrusion expertise with Comar's market leading supply, support and delivery.

Comar 6 EFT delivers curtain walling with 50 mm standardised sight-lines with options for 4 sided structural glazing, 2 sided structural glazing with horizontal (SGH) or vertical (SGV) capping, concealed vents which maintain the slim 50 mm sight - lines.

Comar 6 EFT offers architects a custom-made solution with time proven reassurance. Design flexibility is at your finger-tips which offers performance beyond the capability of existing systems.

Comar 6 EFT Curtain Walling

The Comar 6 EFT 50 Curtain Walling Systems have been developed by experienced designers and are tested to the best European test institutes.

Comar 6 EFT Curtain Walling and Comar 6 EFT Concealed Vent System is the result of in-depth research and architecturally oriented developments.

The Comar 6 EFT Curtain Walling Systems:

1 Facades

1. Comar 6 EFT Capped Curtain Walling

Capped glazing system for vertical applications in single or double glazing.

2. Comar 6 EFT 2 Sided SGH

Two sided structural glazing with horizontal cover cap for vertical applications in single or double glazing.

3. Comar 6 EFT 2 Sided SGV

Two sided structural glazing with vertical cover cap for vertical or sloping applications in single or double glazing.

4. Comar 6 EFT 4 Sided SG

Four sided structural glazing for vertical or sloping applications in single or double glazing.

2 Windows

5. Comar 6 EFT Concealed Vent


Top project or side project window range, Integrated into Comar 6 EFT Fully Capped Curtain Walling, Comar 6 EFT 2sided SGV or SGH & Comar 6 EFT 4sided SG

Mullions


1

Broadsheets

Comar 6EFT




1.00




1025

30mm mullion
Direct fix to steel or
timber




1070

85mm mullion




1072

105mm mullion




1069

115mm mullion




1073

125mm mullion




1074

135mm mullion



1076

150mm mullion



1075


150mm mullion

heavy duty
mullion

Profiles Identification


Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16




1.01

Profiles Identification




1077
175mm mullion



1085
175mm mullion



1078
180mm mullion



1080
195mm mullion


Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.

Mullions

1


Broadsheets

Comar 6EFT




1.02

Profiles Identification




1082

210mm mullion




1087 *

225mm mullion



1090 *

275mm mullion



1095 *

300mm mullion

*


These profiles are for project only and not held in stock. Profiles will be subject to longer lead times. Please contact our office for information.

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten


Issue: 05
Date : 04-17

Comar 6EFT

Split Mullions




1.03




1033

Split mullion
nosing adaptor




1037

105mm split
mullion




1038

125mm split
mullion




1039

135mm split
mullion




1040

150mm split
mullion




1042

180mm split
mullion



1043

195mm split
mullion



1044

210mm split
mullion



comar


ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten


Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved.

Transoms




1125

30mm transom Direct
fix to steel or timber

1149

45mm transom




1150

60mm transom




1.04




1143

85mm transom




1151

85mm transom




1164

105mm transom




1144

115mm transom




1152

135mm transom




1154

150mm transom



1145

150mm transom




1147

175mm transom

Profiles Identification




comar
ARCHITECTURAL ALUMINIUM SYSTEMS




1.05


Profiles Identification



1156
180mm transom



1157
195mm transom



1148
200mm transom



1158
210mm transom



1159 *
225mm transom



1162 *
275mm transom

* These profiles are for project only and not held in stock. Profiles will be subject to longer lead times. Please contact our office for information.

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.



Cover caps & pressure plates

Comar 6EFT




1201
13mm cover cap




1203
16mm cover cap




1204
20mm cover cap




1210
45 degree cover cap




1.06




1211
75mm cover cap
Bullnose



1213
100mm cover cap
Square




1214
165mm cover cap
Bullnose




1221
45mm cover cap
Square 'H'



1251
Duo gasket
pressure plate



1252
Standard
pressure plate



1253
Screw fixing
pressure plate
For deep caps







1259
Pressure plate
for sloped roof









Profiles Identification

Comar 6EFT

Pressure plates



1.07



Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved.

Profiles Identification




comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16


Glazing adaptors

Comar 6EFT



1328

18mm glazing adaptor





1331

15° glazing adaptor
external facet




1336

15° glazing adaptor
internal facet




1329

22mm glazing adaptor



1332

22.5° glazing adaptor
external facet



1337


22.5° glazing adaptor
internal facet

1.08




1330

6mm glazing adaptor




1333

30° glazing adaptor
external facet




1338

30° glazing adaptor
internal facet




1334

37.5° glazing adaptor
external facet



1339

37.5° glazing adaptor
internal facet



1344


45° glazing adaptor
internal facet

Profiles Identification

Broadsheets

1

Comar 6EFT




Frames, perimeters,
Inserts, clamps, setting
blocks & fixing lugs

1.09




1335

Single glazing frame



1348

Wall connector



1345


42mm glazing pocket
closer



1392


(2404)

Structural glazing 90°
corner glass clamp



1346

Spandrel panel frame



1425

Direct fix to steel or
timber
fixing lug

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.

Profiles Identification




comar

ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten


Issue: 05
Date : 10-16

Cleats, flat bars, mullion sleeves & concealed vents




1300

Transom cleat




1305


Transom cleat



1435


(2530/2538/2539)
Corner Cleat

1.09.1




1373

Mullion's connector




1366

Mullion sleeve



1368

Mullion sleeve




1431

(2535)
Corner Cleat


1230

30mm x 2mm flat bar



4003

Concealed vent outer frame



4011


Concealed vent sash

Profiles Identification

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved.

 Changes reserved
 Sous reserve de modifications
 Änderungen vorbehalten

 Issue: 05
 Date : 10-16











FUTURE
ADDITION

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.

Internal glazing gaskets & moulded corners Comar 6EFT

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved.

Illustration	Description	Illustration	Description
	2101 Glazing gasket 6mm Material: EPDM Colour: Black Packing unit: 100 m		2102 Corner moulding for 2101 Material: EPDM Colour: Black Packing unit: 100 pcs.
	2103 Glazing gasket 8mm Material: EPDM Colour: Black Packing unit: 100 m		2104 Corner moulding for 2103 Material: EPDM Colour: Black Packing unit: 100 pcs.
	2105 Glazing gasket 10mm Material: EPDM Colour: Black Packing unit: 100 m		2106 Corner moulding for 2105 Material: EPDM Colour: Black Packing unit: 100 pcs.
	2107 Glazing gasket 12mm Material: EPDM Colour: Black Packing unit: 100 m		2108 Corner moulding for 2107 Material: EPDM Colour: Black Packing unit: 100 pcs.
	2109 Glazing gasket 14mm Material: EPDM Colour: Black Packing unit: 100 m		2110* Corner moulding for 2109 Material: EPDM Colour: Black Packing unit: 100 pcs.
	2111 Glazing gasket 16mm Material: EPDM Colour: Black Packing unit: 100 m		2112* Corner moulding for 2111 Material: EPDM Colour: Black Packing unit: 100 pcs.

* Non standard item



1.10

Fabricators Guide

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten


Issue: 05
Date : 05-17

Accessories

1

Comar 6EFT

External glazing gaskets



1.11

Profiles Identification

Illustration	Description	Illustration	Description
For pressure plate: 1251	2150 Glazing gasket " DUO Gasket " (in combination with 1251) Material: EPDM Colour: Black Packing unit: 100 m		2171 Joint sealant gasket Material: EPDM Colour: Black Packing unit: 100 m1
	2162 Glazing gasket Material: EPDM Colour: Black Packing unit: 50 m		2172 Joint sealant gasket Material: EPDM Colour: Black Packing unit: 100 m1
	2163 Glazing gasket Material: EPDM Colour: Black Packing unit: 50 m		2174 Joint sealant gasket Material: EPDM Colour: Black Packing unit: 100 m1
	2164 Glazing gasket Material: EPDM Colour: Black Packing unit: xx m		2175 Joint gasket Material: EPDM Colour: Black Packing unit: 50 m
	2165 Glazing gasket Material: EPDM Colour: Black Packing unit: xx m		2176 Joint sealant gasket Material: EPDM Colour: Black Packing unit: 100 m1
	2170 Joint sealant gasket Material: EPDM Colour: Black Packing unit: 100 m		2178 Joint sealant gasket Material: EPDM Colour: Black Packing unit: 100 m1

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.










comar
ARCHITECTURAL ALUMINIUM SYSTEMS


Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Glazing gaskets

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved.

Illustration	Description	Illustration	Description
	2153 Extension gasket Material: EPDM Colour: Black Packing unit: 100 m		2180 Cruciform gasket Material: EPDM Colour: Black Packing unit: 10 pcs.
	2155 Extension gasket Material: EPDM Colour: Black Packing unit: 100 m		2182 Joint sealant gasket Material: EPDM Colour: Black Packing unit: 100 m
	2166 6mm Extension gasket high performance Material: EPDM Colour: Black Packing unit: 100 m		
	2167 8mm Extension gasket high performance Material: EPDM Colour: Black Packing unit: 100 m		
	2168 14mm Extension gasket high performance Material: EPDM Colour: Black Packing unit: 100 m		
	2179 Cruciform for drainage diverter Material: EPDM Colour: Black Packing unit: 10 pcs.		




1.12

Profiles Identification

Changes reserved
Sous réserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Comar 6EFT



1.12.1








Obsolete when
stocks are exhausted

Illustration	Description	Illustration	Description
	2306 Glass setting block 33 mm Profile: 1403 Material: Aluminium Finish: Mill Packing unit: 100 pcs. WILL BE REPLACED BY 1409		
Obsolete when stocks are exhausted. Size: 4.8 x 22	3092 4.8 x 22 Countersunk head For glazing clamps 2403 & 2300 Material: Stainless steel Packing unit: 1000 pcs.		

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved.
Subject to modifications.

Thermal break & pocket seal

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.

Illustration	Description	Illustration	Description
	2028 Transom seal Material: EPDM Colour: Black Packing unit: 100 pcs.		2197 Thermal break Material: PVC Colour: Black Packing unit: 10 pcs.
	2033 Groove for K02 Gasket Material: PVC Colour: Black Packing unit: 10 pcs.		2200 Thermal break Material: PVC Colour: Black Packing unit: 10 pcs.
	2185 Seal for split mullion (30 x 2mm) Material: EPDM Colour: Black Packing unit: 50 m		2203 Thermal break Material: PVC Colour: Black Packing unit: 10 pcs.
	2186 Seal for split mullion (for 4mm sheet) Material: EPDM Colour: Black Packing unit: 100 m		6003 End profile Material: PVC Colour: Black Packing unit: 5 pcs.
	2187 Seal for split mullion Material: EPDM Colour: Black Packing unit: 100 m		
	2490 Pocket seal gasket Material: EPDM Colour: Black Packing unit: 200 m		



1.13

Profiles Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten


Issue: 05
Date : 10-16

Accessories

1












Comar 6EFT

Diverter



1.14

Profiles Identification

Illustration	Description	Illustration	Description
	2019 Mullion drainage diverter Material: PP-Nylon Colour: Black Packing unit: 50 pcs.		2025 Transom drainage diverter 4sided SG Material: PP Colour: Black Packing unit: 50 pcs.
	2020 Mullion drainage diverter Closed spout Material: PP- Nylon Colour: Black Packing unit: 50 pcs.		2026 Mullion drainage diverter Closed spout Material: PP- Nylon Colour: Black Packing unit: 50 pcs.
	2021 Mullion drainage diverter Closed spout Material: PP- Nylon Colour: Black Packing unit: 50 pcs.		2027 Mullion drainage diverter Closed spout Material: PP- Nylon Colour: Black Packing unit: 50 pcs.
	2022 Mullion drainage diverter Material: PP- Nylon Colour: Black Packing unit: 50 pcs.		2030 Mullion coupling moulding Material: EPDM Colour: Black Packing unit: 50 pcs.
	2023 Mullion drainage diverter Material: PP- Nylon Colour: Black Packing unit: 50 pcs.		2032 35mm Extension drainage diverter Material: PP- Nylon Colour: Black Packing unit: 10 pcs.
	2024 Mullion drainage diverter Material: PP- Nylon Colour: Black Packing unit: 50 pcs.		

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.















comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Glazing setting blocks

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved.

Illustration	Description	Illustration	Description
	2301 Glass setting block 15 mm Profile: 1403 Material: Aluminium Finish: Mill Packing unit: 100 pcs.		1402 Glass setting block 32 mm Width 100mm
	2305 Glass setting block 27 mm Profile: 1403 Material: Aluminium Finish: Mill Packing unit: 100 pcs.		1442 Glass setting block 32 mm Width 400mm Material: Aluminium Finish: Black Packing unit: 10 pcs.
	1409 Glass setting block 33 mm Profile: 1412 Material: Aluminium Finish: Mill Packing unit: 10 pcs.		1407 Glass setting block 36 mm Width 100mm
	1411 Glass setting block 40 mm Profile: 1415 Material: Aluminium Finish: Mill Packing unit: 10 pcs.		1447 Glass setting block 36 mm Width 400mm Material: Aluminium Finish: Black Packing unit: 10 pcs.
 	1401 Glass setting block 28 mm Width 100mm 1441 Glass setting block 28 mm Width 400mm Material: Aluminium Finish: Black Packing unit: 10 pcs.	 	1404 Glass setting block 40 mm Width 100mm 1444 Glass setting block 40 mm Width 400mm Material: Aluminium Finish: Black Packing unit: 10 pcs.



1.15

Profiles Identification


Changes reserved
Sous réserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 02-17

Accessories

1

Comar 6EFT



1.16

Profiles Identification

Illustration	Description
 	1400 Glass setting block 44 mm Width 100mm Material: Aluminium Finish: Black Packing unit: 10 pcs.
 	1405 Glass setting block 48 mm Width 100mm 1445 Glass setting block 48 mm Width 400mm Material: Aluminium Finish: Black Packing unit: 10 pcs.
	2310 Transom cleat (spring loaded) Material: Aluminium pin/polyamide housing lock to transom with super glue (SE009XSLF) Packing unit: 50 pcs.
	2538 Corner cleat 8.2 mm For frames made from profile 1335 Profile: 1435 Material: Aluminium Finish: Mill Packing unit: 10 pcs

Glazing setting blocks sleeves & cleats

Illustration	Description
 	1406 Glass setting block 52 mm Width 100mm 1446 Glass setting block 52 mm Width 400mm Material: Aluminium Finish: Black Packing unit: 10 pcs.
 Standard length: 6.45m	1366 33mm mullion sleeve/spigot kit Material: Aluminium /plastic Colour: Black Finish: Mill Packing unit: 1 pcs.
 Standard length: 6.45m	1368 79mm mullion sleeve/spigot kit Material: Aluminium /plastic Colour: Black Finish: Mill Packing unit: 1 pcs.
	2539 Corner cleat 4.8 mm For frames made from profile 1346 Profile: 1435 Material: Aluminium Finish: Mill Packing unit: 50 pcs

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.









comar
ARCHITECTURAL ALUMINIUM SYSTEMS


Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Fixing clamps - Structural glazing

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.

Illustration	Description	Illustration	Description
 5.5 x 23 Torx type	2403 Double glass clamp For 2 or 4 sided structurally bonded units. 2sided SGH/ 2sided SGV /4sided SG Profile: 1391 Length: 35 mm Material: Aluminium Finish: Red powder coating Packing unit: 100 pcs.	 5.5 x 23 Torx type	2406 Panel clamp For 2 or 4 sided structural bonded units. 2sided SGH/2sided SGV /4sided SG Profile: 1393 Length: 35mm Material: Aluminium Finish: Blue powder coating. Packing unit: 100 pcs.
 5.5 x 23 Torx type	2409 Glass clamp machined For support 400mm glass setting block Profile: 2403 Length: 35 mm Material: Aluminium Finish: Red powder coating Packing unit: 10 pcs.	 2x 5.5 x 29 Torx type	1390 6mm Extension Profile For 2403 Glass Clamp Profile: 1390 Length: 70 mm Material: Aluminium Finish: Black powder coating Packing unit: 10 pcs.
 5.5 x 23 Torx type	2431 Double glass Clamp. For 2 or 4 sided structural bonded units. 2sided SGH 4sided SG Length: 35 mm Material: Aluminium Colour: Orange Powder Coating Packing unit: 100 pcs.	 5.5 x 23 Torx type	2441 Double glass Clamp. For 2 or 4 sided structural bonded units. 2sided SGH 4sided SG Length: 35 mm Material: Aluminium Colour: White Powder coating Packing unit: 100 pcs.



1.17

Profiles Identification


Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Accessories

1

Comar 6EFT



1.18

Illustration	Description
 	2432 Double glass Clamp. For 2 or 4 sided structural bonded units. 2sided SGH 4sided SG Length: 35 mm Material: Aluminium Colour: Green powder coating Packing unit: 100 pcs.
 	2433 Double glass Clamp. For 2 or 4 sided structural bonded units. 2sided SGH 4sided SG Length: 35 mm Material: Aluminium Colour: Magenta powder coating Packing unit: 50 pcs.
 	2404 Double glass Corner Clamp For 2 or 4 sided structural bonded units. 2sided SGH/4sided SG Profile: 1392 Length: 50mm Material: Aluminium Finish: Violet powder coating Packing unit: 10 pcs.

Fixing clamps - Structural glazing







Illustration	Description
 	2442 Double glass Clamp. For 2 or 4 sided structural bonded units. 2sided SGH 4sided SG Length: 35 mm Material: Aluminium Colour: Grey powder coating Packing unit: 100 pcs.
 	2443 Double glass Clamp. For 2 or 4 sided structural bonded units. 2sided SGH 4sided SG Length: 35 mm Material: Aluminium Colour: Black powder coating Packing unit: 100 pcs.
 	2448 Double glass Clamp. For 2 or 4 sided structural bonded units. 2sided SGH 4side SG Length: 35 mm Material: Aluminium Colour: Brown powder coating Packing unit: 100 pcs.


Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.



Glazing Inserts

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

Illustration	Description	Illustration	Description
 No ID line	2401 Double glazing insert For 2 or 4 sided structural bonded units. 2sided SGH/ 2sided SGV /4sided SG Profile: 1389 Length: 100 mm Material: Aluminium Colour: Silver anodised Packing unit: 100 pcs.		2416 Double glazing insert For 2 or 4 sided structural bonded units. 2sided SGH/ 2sided SGV /4sided SG Profile: 1316 Length: 100 mm Material: Aluminium Colour: Silver anodised Packing unit: 10 pcs.
 One ID line	2402 Double glazing insert For 2 or 4 sided structural bonded units. 2sided SGH/2sided SGV /4sided SG Profile: 1388 Length: 100 mm Material: Aluminium Colour: Silver anodised Packing unit: 100 pcs.		2418 Double glazing insert For 2 or 4 sided structural bonded units. 2sided SGH/2sided SGV /4sided SG Profile: 1318 Length: 100 mm Material: Aluminium Colour: Black anodised Packing unit: 10 pcs.
 Two ID lines	2405 Double glazing insert For 2 or 4 sided structural bonded units. 2sided SGH/2sided SGV /4sided SG Profile: 1387 Length: 100 mm Material: Aluminium Colour: Silver anodised Packing unit: 100 pcs.		2420 Double glazing insert For 2 or 4 sided structural bonded units. 2sided SGH/2sided SGV /4sided SG Profile: 1390 Length: 100 mm Material: Aluminium Colour: Black anodised Packing unit: 10 pcs.



1.19

Profiles Identification

Changes reserved
Sous réserve de modifications
Änderungen vorbehalten


Issue: 05
Date : 10-16

Accessories

1











Comar 6EFT

Transom Cleats



1.20

Profiles Identification

Illustration	Description	Illustration	Description
	2551 Transom cleat For transom 1151 & 1143 (85mm) Material: Aluminium Finish: Mill finish Packing unit: 20 Profile: 1300 Length: 64 mm		2557 Transom cleat For transom 1157 (195mm) Material: Aluminium Finish: Mill finish Packing unit: 20 Profile: 1300 Length: 174 mm
	2564 Transom cleat For transom 1164 (105mm) Material: Aluminium Finish: Mill finish Packing unit: 20 Profile: 1300 Length: 84 mm		2558 Transom cleat For transom 1158 (210mm) Material: Aluminium Finish: Mill finish Packing unit: 20 Profile: 1300 Length: 189 mm
	2552 Transom cleat For transom 1152 (135mm) Material: Aluminium Finish: Mill finish Packing unit: 20 Profile: 1300 Length: 114 mm	 Cut to length to suit	2565 - 1166 (125mm) 2566 - 1152 (135mm) 2567 - 1145 & 1154 (150mm) 2568 - 1147 (175mm) 2569 - 1156 (180mm) 2570 - 1157 (195mm) 2571 - 1148 (200mm) 2572 - 1158 (210mm) Cut from Profile 1305
	2554 Transom cleat For transom 1154 & 1145 (150mm) Material: Aluminium Finish: Mill finish Packing unit: 20 Profile: 1300 Length: 129 mm		2559* Transom cleat For transom 11589 (225mm) Material: Aluminium Finish: Mill finish Packing unit: 20 Profile: Tube 43x43x4 Length: 135 mm
	2556 Transom cleat For transom 1156 (180mm) Material: Aluminium Finish: Mill finish Packing unit: 20 Profile: 1300 Length: 159 mm		2560* Transom cleat For transom 1162 (275mm) Material: Aluminium Finish: Mill finish Packing unit: 20 Profile: Tube 43x43x4 Length: 185 mm

* These profiles are for project only and not held in stock. Profiles will be subject to longer lead times. Please contact our office for information.

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved.



comar
ARCHITECTURAL ALUMINIUM SYSTEMS











Changes reserved
Sous reserve de modifications
Änderungen vorbehalten


Issue: 05
Date : 04-17

PVC Accessories & tapes

Comar 6EFT

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved.
Subject to modifications.

Illustration	Description	Illustration	Description
	2031 End Cap for 1259 pressure plate Material: PVC Colour: Black Packing unit: 10 pcs.		6010 EPDM membrane 250mm Wide 25m Length
 Standard length: 6.45m	2181 Mullion sleeve/spigot isolator Material: PVC Colour: Black Packing unit: 1 pc.		6011 EPDM membrane 150mm Wide 25m Length
 Length: 50mm	2410 Drainage U channel Material: PVC Colour: White Packing unit: 20 pcs.		6012 EPDM membrane with gasket 150mm Wide 25m Length
	3016 Screw Head Cap Material: PVC Colour: EWHT- White DBLK- Black BSVR- Silver Packing unit: 50 pcs.		6013 EPDM membrane with gasket 250mm Wide 25m Length
	6001 Butyl tape 50mm Wide 25m Length		6020 Membrane adhesive 600 ml
	6002 Butyl tape 100mm Wide 25m Length		



1.21

Profiles Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten


Issue: 05
Date : 10-16

Accessories

1











Comar 6EFT

Pressure plate screws



1.22

Profiles Identification

Illustration	Description	Illustration	Description
 Size: 5.5 x 16	3002 Screw Allen key 5.5 x 16 Material: Stainless steel Packing unit: 500 pcs.	 Size: 5.5 x 38	3008 Screw Allen key 5.5 x 38 Material: Stainless steel Packing unit: 500 pcs.
 Size: 5.5 x 13	3003 Screw Allen key 5.5 x 13 Material: Stainless steel Packing unit: 500 pcs.	 Size: 5.5 x 42	3090 Screw Allen key 5.5 x 42 Material: Stainless steel Packing unit: 200 pcs.
 Size: 5.5 x 19	3004 Screw Allen key 5.5 x 19 Material: Stainless steel Packing unit: 500 pcs.	 Size: 5.5 x 45	3009 Screw Allen key 5.5 x 45 Material: Stainless steel Packing unit: 500 pcs.
 Size: 5.5 x 22	3005 Screw Allen key 5.5 x 22 Material: Stainless steel Packing unit: 500 pcs.	 Size: 5.5 x 50	3010 Screw Allen key 5.5 x 50 Material: Stainless steel Packing unit: 200 pcs.
 Size: 5.5 x 25	3006 Screw Allen key 5.5 x 25 Material: Stainless steel Packing unit: 500 pcs.	 Size: 5.5 x 55	3011 Screw Allen key 5.5 x 55 Material: Stainless steel Packing unit: 100 pcs.
 Size: 5.5 x 32	3007 Screw Allen key 5.5 x 32 Material: Stainless steel Packing unit: 500 pcs.	 Size: 5.5 x 60	3012 Screw Allen key 5.5 x 60 Material: Stainless steel Packing unit: 100 pcs.

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.










comar
ARCHITECTURAL ALUMINIUM SYSTEMS


Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Screws

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

Illustration	Description	Illustration	Description
 Size: 5.5 x 65	3013 Screw Allen key 5.5 x 65 Material: Stainless steel Packing unit: 100 pcs.	 Size: 4.8 x 19	3023 4.8 x 19 Pan head For 4sided weephole covers Material: Stainless steel Packing unit: 500 pcs.
 Size: 5.5 x 70	3014 Screw Allen key 5.5 x 70 Material: Stainless steel Packing unit: 100 pcs.	 Size: 4.2 x 25	3024 4.2 x 25 Countersunk head For glazing adaptor 18mm , 1328 Material: Stainless steel Packing unit: 500 pcs.
 Size: 5.5 x 75	3015 Screw Allen key 5.5 x 75 Material: Stainless steel Packing unit: 100 pcs.	 Size: 4.8 x 13	3025 4.8 x 13 Pan head For transom cleats Material: Stainless steel Packing unit: 500 pcs.
 Size: 3.5 x 9	3020 3.5 x 9 Pan head For fixing large cover caps Material: Stainless steel Packing unit: 500 pcs.	 Size: 4.2 x 32	3026 4.2 x 32 Countersunk head For glazing adaptor 22mm , 1329 Material: Stainless steel Packing unit: 500 pcs.
 Size: 3.9 x 16	3021 Screw 3.9 x 16 DIN 7981 C-Z Transom-Mullion fixing Material: Stainless steel Packing unit: 1000 pcs.	 Size: 3.9 x 19	3027 Screw 3.9 x 19 DIN 7981 C-Z Transom-Mullion fixing for facetted joints Material: Stainless steel Packing unit: 1000 pcs.
 Size: 4.8 x 65	3022 Screw 4.8 x 65 DIN 7981 C-Z Ladder unit transom-mullion fixing Material: Stainless steel Packing unit: 200 pcs.	 Size: 3.6 x 13	3028 3.6 x 13 Countersunk head For split mullion nosing adaptor 1033 Material: Stainless steel Packing unit: 1000 pcs.



1.23

Profiles Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten


Issue: 05
Date : 10-16

Accessories

1

Comar 6EFT

Screws & washers



1.24

Profiles Identification

Illustration	Description	Illustration	Description
	3029 5.5 x 23 Torx T x 20 For glazing clamps 2403 & 2300 Material: Stainless steel Packing unit: 100 pcs.		1889 6 x 30 Dowel pin Mullion's connector Material: Stainless steel Packing unit: 10 pcs.
	3030 5.5 x 29 Torx T x 20 For glazing clamps 2403 + 1407 Material: Stainless steel Packing unit: 100 pcs.		1890 Tube Ø11x3 Material: Aluminium Packing unit: 50 pcs.
	3093 5.5 x 25 Countersunk head Mullion's connector Material: Stainless steel Packing unit: 500 pcs.		1891 Tube Ø11x3 Material: Aluminium Packing unit: 50 pcs.
	FX7004 No8 x 13 Pan head self drill screw Material: Stainless steel Packing unit: 100 pcs.		
	3091 M6 x 12.5 x 0.8 Nylon washer Material: Nylon Packing unit: 1000 pcs.		
	3094 Washer Ø6 for 3093 screw Material: Stainless steel Packing unit: 100 pcs.		

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.



comar
ARCHITECTURAL ALUMINIUM SYSTEMS



Changes reserved
Sous reserve de modifications
Änderungen vorbehalten


Issue: 05
Date : 10-16

Fixing and sliding brackets

Comar 6EFT

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.

Illustration	Description
	CW671 Wall fixing bracket (Jamb) 175 mm Material: Aluminium Finish: Mill Packing unit: 1 pcs.
	CW672 Wall fixing bracket (Intermediate) 175 mm Material: Aluminium Finish: Mill Packing unit: 1 pcs.




1.25

Profiles Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16



1.26

Illustration	Description
	CW673 Wall sliding bracket (Jamb) 130 mm Material: Aluminium Finish: Mill Packing unit: 1 pcs.
	CW674 Wall Sliding bracket (Intermediate) 130mm Material: Aluminium Finish: Mill Packing unit: 1 pcs.


Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved. Subject to modifications.

Future Additions

1

Standard Profiles

Comar 6EFT



1.27


FUTURE
ADDITION

Fabricators Guide

Accessories

1

Comar 6EFT



1.28 - 1.49

Future Additions



FUTURE
ADDITION

1

Standard Profiles

Comar 6EFT

1025 - Mullion - 30mm Direct fix to steel or timber




Area = 537.9 mm²
Perimeter = 372 mm
Length = 6.45 m

1.50

Visible Surface
Secondary Surface

1033 - Split mullion adaptor



Area = 248.1 mm²
Periphery = 217 mm
Length = 6.45 m

Secondary Surface

Profile Identification


Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date :10-16

Standard Profiles

1



Comar 6EFT



1037 - Split mullion 105mm

$$\begin{aligned} I_{xx} &= 68.3 \text{ cm}^4 \\ I_{yy} &= 4.1 \text{ cm}^4 \\ Z_{xx} &= 12.5 \text{ cm}^3 \\ Z_{yy} &= 3.9 \text{ cm}^3 \end{aligned}$$

1.51




Perimeter = 417 mm
Length = 6.45 m

Visible Surface -----
Secondary Surface

1038 - Split mullion 125mm

$$\begin{aligned} I_{xx} &= 115.1 \text{ cm}^4 \\ I_{yy} &= 4.9 \text{ cm}^4 \\ Z_{xx} &= 17.9 \text{ cm}^3 \\ Z_{yy} &= 4.0 \text{ cm}^3 \end{aligned}$$



Perimeter = 457 mm
Length = 6.45 m

Visible Surface -----
Secondary Surface

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.

Profiles Identification



comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16


1

Standard Profiles

Comar 6EFT

1039 - Split mullion 135mm

$$\begin{aligned} I_{xx} &= 141.3 \text{ cm}^4 \\ I_{yy} &= 5.2 \text{ cm}^4 \\ Z_{xx} &= 20.2 \text{ cm}^3 \\ Z_{yy} &= 5.0 \text{ cm}^3 \end{aligned}$$



Perimeter = 417 mm



Length = 6.45 m

Visible Surface

Secondary Surface

1040 - Split mullion 150mm

$$\begin{aligned} I_{xx} &= 187.9 \text{ cm}^4 \\ I_{yy} &= 5.7 \text{ cm}^4 \\ Z_{xx} &= 24.0 \text{ cm}^3 \\ Z_{yy} &= 5.5 \text{ cm}^3 \end{aligned}$$




Perimeter = 507 mm

Length = 6.45 m

Visible Surface

Secondary Surface



1.52

Profile Identification

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date :10-16




comar

ARCHITECTURAL ALUMINIUM SYSTEMS

Standard Profiles

1


Comar 6EFT



1042 - Split mullion - 180mm


1.53

Profiles Identification



Perimeter = 567 mm
Length = 6.45 m

Visible Surface -----
Secondary Surface



$I_{xx} = 310.1 \text{ cm}$
 $I_{yy} = 6.7 \text{ cm}$
 $Z_{xx} = 32.8 \text{ cm}$
 $Z_{yy} = 6.5 \text{ cm}$

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.



comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten


Issue: 05
Date : 10-16

1


Standard Profiles

Comar 6EFT

1043 - Split mullion - 195mm




1.54



Perimeter = 597 mm
Length = 6.45 m

Visible Surface -----
Secondary Surface



$I_{xx} = 387.1 \text{ cm}^4$
 $I_{yy} = 7.3 \text{ cm}^4$
 $Z_{xx} = 37.8 \text{ cm}^3$
 $Z_{yy} = 6.0 \text{ cm}^3$

Profiles Identification


Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Standard Profiles

1

Comar 6EFT




1044 - Split mullion - 210mm


1.55

Perimeter = 627 mm
Length = 6.45 m

Visible Surface -----
Secondary Surface



$$\begin{aligned} I_{xx} &= 481.0 \text{ cm}^4 \\ I_{yy} &= 7.9 \text{ cm}^4 \\ Z_{xx} &= 43.7 \text{ cm}^3 \\ Z_{yy} &= 6.5 \text{ cm}^3 \end{aligned}$$



Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.

Profiles Identification



comar

ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16



1

Standard Profiles

Comar 6EFT


1069 - Mullion - 115mm

1070 - Mullion - 85mm



Perimeter = 506 mm
Length = 6.45 m

Visible Surface ———
Secondary Surface



Perimeter = 448 mm
Length = 6.45 m

Visible Surface ———
Secondary Surface

1.56

Profiles Identification


Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date :10-16

Standard Profiles


1

Comar 6EFT



1.57

1072 - Mullion - 105 mm



Perimeter = 487 mm
Length = 6.45 m

Visible Surface -----
Secondary Surface

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16




1

Standard Profiles

Comar 6EFT

1073 - Mullion - 125 mm

1074 - Mullion - 135 mm




1.58

Profile Identification

Standard Profiles



1

Comar 6EFT



1075 - Mullion - 150 mm 1076 - Mullion - 150 mm

Profiles Identification



comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.



1

Standard Profiles

Comar 6EFT

1077 - Mullion - 175 mm

1078 - Mullion - 180 mm




OBSOLETE WHEN
STOCKS EXHAUSTED

Profile Identification

Standard Profiles


1

Comar 6EFT



1.61


Profiles Identification



1080 - Mullion - 195mm

Perimeter = 666 mm
Length = 6.45 m

Visible Surface -----
Secondary Surface



$I_{xx} = 852.6 \text{ cm}^4$
 $I_{yy} = 62.7 \text{ cm}^4$
 $Z_{xx} = 75.4 \text{ cm}^3$
 $Z_{yy} = 25.1 \text{ cm}^3$

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.






comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

1082 - Mullion - 210 mm 1085 - Mullion - 175 mm



1.62


Profiles Identification



Standard Profiles

1



Comar 6EFT



1087 - Mullion - 225 mm 1090 - Mullion - 275 mm

1.62.1

Profiles Identification



Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.



comar

ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten


Issue: 05
Date : 06-17

1


Broadsheets

Comar 6EFT

1095 - Mullion - 300 mm



1.62.2



Profiles Identification


Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue:05
Date :05-17

Standard Profiles


1

Comar 6EFT



1125 - Transom- 30 mm Direct to steel fix only

1.63




Perimeter = 302.2 mm


Length = 6.45 m

Visible Surface -----


Secondary Surface



1143 - Transom- 85 mm



$I_{xx} = 101.89 \text{ cm}^4$
 $I_{yy} = 28.34 \text{ cm}^4$
 $Z_{xx} = 17.53 \text{ cm}^3$
 $Z_{yy} = 11.34 \text{ cm}^3$



Perimeter = 376.9 mm

Length = 6.45 m

Visible Surface -----

Secondary Surface -----



comar

ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
 Sous reserve de modifications
 Änderungen vorbehalten

Issue: 05
 Date : 10-16

Copyright and ownership of this drawing is vested in EFT,
 Euro Facade Systems Ltd, whose prior written consent is required
 for its use, reproduction or for publication to any third party.
 All other rights reserved. Subject to modifications.


Profiles Identification

1

Standard Profiles


Comar 6EFT

1144 - Transom - 115 mm




1.64

$$\begin{aligned} I_{xx} &= 210.13 \text{ cm}^4 \\ I_{yy} &= 36.20 \text{ cm}^4 \\ Z_{xx} &= 27.45 \text{ cm}^3 \\ Z_{yy} &= 14.48 \text{ cm}^3 \end{aligned}$$




Perimeter = 436.9 mm
Length = 6.45 m
Visible Surface _____
Secondary Surface

1145 - Transom - 150 mm



$$\begin{aligned} I_{xx} &= 372.00 \text{ cm}^4 \\ I_{yy} &= 45.37 \text{ cm}^4 \\ Z_{xx} &= 40.92 \text{ cm}^3 \\ Z_{yy} &= 18.15 \text{ cm}^3 \end{aligned}$$



Perimeter = 506.9 mm
Length = 6.45 m
Visible Surface _____
Secondary Surface

Profile Identification


Changes reserved
Sous réserve de modifications
Änderungen vorbehalten

Issue: 05
Date :10-16

Standard Profiles


1

Comar 6EFT




1147 - Transom - 175 mm

1.65



$$\begin{aligned} I_{xx} &= 559.13 \text{ cm}^4 \\ I_{yy} &= 53.35 \text{ cm}^4 \\ Z_{xx} &= 52.85 \text{ cm}^3 \\ Z_{yy} &= 21.34 \text{ cm}^3 \end{aligned}$$




Perimeter = 556.9 mm

Length = 6.45 m


Visible Surface

Secondary Surface

1148 - Transom - 200 mm



$$\begin{aligned} I_{xx} &= 772.27 \text{ cm}^4 \\ I_{yy} &= 60.57 \text{ cm}^4 \\ Z_{xx} &= 65.21 \text{ cm}^3 \\ Z_{yy} &= 24.23 \text{ cm}^3 \end{aligned}$$



Perimeter = 606.75 mm

Length = 6.45 m

Visible Surface

Secondary Surface



comar

ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.

Profiles Identification

1


Standard Profiles

Comar 6EFT


1149- Transom - 45 mm



1.66




$$\begin{aligned} I_{xx} &= 19.9 \text{ cm}^4 \\ I_{yy} &= 12.8 \text{ cm}^4 \\ Z_{xx} &= 6.0 \text{ cm}^3 \\ Z_{yy} &= 5.1 \text{ cm}^3 \end{aligned}$$




Perimeter = 296 mm
Length = 6.45 m
Visible Surface _____
Secondary Surface

1150- Transom - 60 mm



$$\begin{aligned} I_{xx} &= 36.3 \text{ cm}^4 \\ I_{yy} &= 15.5 \text{ cm}^4 \\ Z_{xx} &= 9.2 \text{ cm}^3 \\ Z_{yy} &= 6.2 \text{ cm}^3 \end{aligned}$$



Perimeter = 329 mm
Length = 6.45 m
Visible Surface _____
Secondary Surface

Profile Identification


Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date :10-16

Standard Profiles


1

Comar 6EFT




1.67

1151 - Transom - 85 mm




$I_{xx} = 77.2 \text{ cm}^4$
 $I_{yy} = 19.9 \text{ cm}^4$
 $Z_{xx} = 14.8 \text{ cm}^3$
 $Z_{yy} = 7.9 \text{ cm}^3$




Perimeter = 379 mm
Length = 6.45 m
Visible Surface
Secondary Surface

Copyright and ownership of this drawing is vested in EFT, Euro Facade Systems Ltd, whose prior written consent is required for its use, reproduction or for publication to any third party. All other rights reserved.

1152 - Transom - 135mm



$I_{xx} = 247.9 \text{ cm}^4$
 $I_{yy} = 35.5 \text{ cm}^4$
 $Z_{xx} = 31.9 \text{ cm}^3$
 $Z_{yy} = 14.2 \text{ cm}^3$




Perimeter = 476 mm
Length = 6.45 m
Visible Surface
Secondary Surface

1

Standard Profiles


Comar 6EFT

1154 - Transom 150mm



1.68

$$\begin{aligned} I_{xx} &= 317.3 \text{ cm}^4 \\ I_{yy} &= 39.0 \text{ cm}^4 \\ Z_{xx} &= 37.3 \text{ cm}^3 \\ Z_{yy} &= 15.6 \text{ cm}^3 \end{aligned}$$




Perimeter = 506 mm

Length = 6.45 m


Visible Surface

Secondary Surface

1156 - Transom 180mm



$$\begin{aligned} I_{xx} &= 489.4 \text{ cm}^4 \\ I_{yy} &= 45.9 \text{ cm}^4 \\ Z_{xx} &= 49.1 \text{ cm}^3 \\ Z_{yy} &= 18.4 \text{ cm}^3 \end{aligned}$$



Perimeter = 565 mm

Length = 6.45 m

Visible Surface

Secondary Surface

Profiles Identification



comar

ARCHITECTURAL ALUMINIUM SYSTEMS


Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16


Standard Profiles

1


Comar 6EFT



1157 - Transom 195mm



$$\begin{aligned} I_{xx} &= 622.7 \text{ cm}^4 \\ I_{yy} &= 53.2 \text{ cm}^4 \\ Z_{xx} &= 57.4 \text{ cm}^3 \\ Z_{yy} &= 21.3 \text{ cm}^3 \end{aligned}$$




Perimeter = 595 mm

Length = 6.45 m

Visible Surface

Secondary Surface

1158 - Transom 210mm



$$\begin{aligned} I_{xx} &= 764.1 \text{ cm}^4 \\ I_{yy} &= 59.1 \text{ cm}^4 \\ Z_{xx} &= 65.6 \text{ cm}^3 \\ Z_{yy} &= 23.6 \text{ cm}^3 \end{aligned}$$

Perimeter = 625 mm

Length = 6.45 m

Visible Surface

Secondary Surface



comar

ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05

Date : 10-16


Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.

1

Standard Profiles

Comar 6EFT

1159 - Transom 225mm



1.70

$$\begin{aligned} I_{xx} &= 1350.7 \text{ cm}^4 \\ I_{yy} &= 89.1 \text{ cm}^4 \\ Z_{xx} &= 95.8 \text{ cm}^3 \\ Z_{yy} &= 35.6 \text{ cm}^3 \end{aligned}$$


Perimeter = 656 mm

Length = 6.10 m

Visible Surface

Secondary Surface

1162 - Transom 275mm



$$\begin{aligned} I_{xx} &= 2225.7 \text{ cm}^4 \\ I_{yy} &= 106.2 \text{ cm}^4 \\ Z_{xx} &= 133.4 \text{ cm}^3 \\ Z_{yy} &= 42.5 \text{ cm}^3 \end{aligned}$$

Perimeter = 656 mm

Length = 6.10 m

Visible Surface

Secondary Surface

Profiles Identification



comar

ARCHITECTURAL ALUMINIUM SYSTEMS


Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date :04-17

Standard Profiles


1

Comar 6EFT




1164 - Transom - 105 mm

1.71



$I_{xx} = 130.0 \text{ cm}^4$
 $I_{yy} = 25.5 \text{ cm}^4$
 $Z_{xx} = 21.1 \text{ cm}^3$
 $Z_{yy} = 10.2 \text{ cm}^3$



Perimeter = 419 mm

Length = 6.45 m

Visible Surface _ _ _ _ _

Secondary Surface

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.

Profiles Identification



comar

ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 04-17


Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved.

Future Additions

1

Standard Profiles

Comar 6EFT



1.72

FUTURE
ADDITION

Profiles Identification


Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date :10-16


Standard Profiles

1

Comar 6EFT



1201 - Cover cap - 13mm



Perimeter = 149 mm
Length = 6.45 m

Visible Surface - - - - -


Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.

Profiles Identification


1203 - Cover cap - 16mm

Perimeter = 174 mm
Length = 6.45 m

Visible Surface - - - - -



1204 - Cover cap - 20mm



Perimeter = 190 mm
Length = 6.45 m

Visible Surface - - - - -



comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

1

Standard Profiles


Comar 6EFT



1210 - Cover cap - 45°


Perimeter = 164 mm
Length = 6.45 m

Visible Surface -----



1.74

1211 - Cover cap bull nose - 75mm



Perimeter = 263 mm
Length = 6.45 m


Visible Surface -----

Profiles Identification

Standard Profiles

1


Comar 6EFT



1213 - Cover cap - 100 mm

1.75

Profiles Identification



Perimeter = 365 mm
Length = 6.45 m

Visible Surface - - - - -


Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.

1

Standard Profiles

Comar 6EFT

1214 - Cover cap bull nose - 165 mm




1.76

Profiles Identification

Perimeter = 454 mm

Length = 6.45 m

Visible Surface - - - - -




comar

ARCHITECTURAL ALUMINIUM SYSTEMS

Standard Profiles


1

Comar 6EFT



1221 - Cover cap - 45 mm

1.77




Perimeter = 289 mm

Length = 6.45 m

Visible Surface - - - - -

1259 - Pressure plate for roof



Perimeter = 137 mm

Length = 6.45 m

Visible Surface - - - - -

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved.

1


Standard Profiles

Comar 6EFT

1251 - Pressure plate - Duo gasket


Perimeter = 150 mm
Length = 6.45 m

Visible Surface - - - - -



1.78

1252 - Pressure plate - Standard




Perimeter = 130 mm
Length = 6.45 m

Visible Surface - - - - -

1253 - Pressure plate - Screw fix

Perimeter = 214 mm
Length = 6.45 m

Visible Surface - - - - -




Profiles Identification

Standard Profiles


1

Comar 6EFT



1260 - Pressure plate - 15°

1.79



Perimeter = 250 mm
Length = 6.45 m


Visible Surface -----
Secondary Surface

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.


1261 - Pressure plate - 22.5°

Perimeter = 275 mm
Length = 6.45 m

Visible Surface -----
Secondary Surface



1262 - Pressure plate - 30°



Perimeter = 305 mm
Length = 6.45 m

Visible Surface -----
Secondary Surface

Profiles Identification




comar

ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

1263 - Pressure plate - 37.5°



1.80


Perimeter = 360 mm
Length = 6.45 m

Visible Surface -----
Secondary Surface

1264 - Corner adaptor

Perimeter = 241 mm
Length = 6.45 m

Visible Surface -----




Profiles Identification

Standard Profiles


1

Comar 6EFT



1.81

1265 - Corner mullion adaptor - 45°




Perimeter = 399 mm
Length = 6.45 m

Visible Surface -----
Secondary Surface


1266 - Pressure plate - 15°

Perimeter = 151 mm
Length = 6.45 m

Visible Surface -----



1267 - Pressure plate - 22.5°



Perimeter = 155 mm
Length = 6.45 m

Visible Surface -----

1


Standard Profiles

Comar 6EFT

1268 - Pressure plate - 30°

Perimeter = 160 mm
Length = 6.45 m

Visible Surface - - - - -




1.82

1269 - Pressure plate - 37.5°

Perimeter = 168 mm
Length = 6.45 m


Visible Surface - - - - -



1270 - Pressure plate - 45°

Perimeter = 154 mm
Length = 6.45 m

Visible Surface - - - - -




Profiles Identification

Standard Profiles


1

Comar 6EFT



1.83


1300 - Transom cleat



Perimeter = 282 mm
Length = 6.45 m

Visible Surface - - - - -


1305 - Transom cleat



Perimeter = 312 mm
Length = 6.45 m

Visible Surface - - - - -

1373 - Mullion's connector



Perimeter = 910 mm
Length = 3.45 m

Visible Surface - - - - -

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.



comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

1


Standard Profiles

Comar 6EFT

1328 - Glazing adaptor - 18mm


Perimeter = 121 mm
Length = 6.45 m

Visible Surface -----
Secondary Surface



1.84

1329 - Glazing adaptor - 22mm




Perimeter = 137 mm
Length = 6.45 m

Visible Surface -----
Secondary Surface


1330 - Glazing adaptor - 18mm

Perimeter = 59 mm
Length = 6.45 m

Visible Surface -----
Secondary Surface



1331 - Glazing adaptor - 15°



Perimeter = 58 mm
Length = 6.45 m


Visible Surface -----
Secondary Surface

Profiles Identification

Standard Profiles


1

Comar 6EFT



1.85

1332 - Glazing adaptor - 22.5°



Perimeter = 61 mm

Length = 6.45 m


Visible Surface -----
Secondary Surface

1333 - Glazing adaptor - 30°


Perimeter = 67 mm

Length = 6.45 m

Visible Surface -----
Secondary Surface



1334 - Glazing adaptor - 37.5°



Perimeter = 73 mm

Length = 6.45 m

Visible Surface -----
Secondary Surface

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.

1

Standard Profiles

Comar 6EFT


1335 - Spandrel frame - 18 mm

Perimeter = 155 mm

Length = 6.45 m


Visible Surface -----

Bonding Surface



1.86

1336 - Glazing adaptor - 15° (internal corner)



Perimeter = 86 mm

Length = 6.45 m

Visible Surface -----

Secondary Surface


1337 - Glazing adaptor - 22.5° (internal corner)

Perimeter = 104 mm

Length = 6.45 m

Visible Surface -----

Secondary Surface




Profiles Identification

Standard Profiles


1

Comar 6EFT



1.87

1338 - Glazing adaptor - 30° (internal corner)




Perimeter = 112 mm
Length = 6.45 m

Visible Surface -----
Secondary Surface


1339 - Glazing adaptor - 37.5° (internal corner)

Perimeter = 121 mm
Length = 6.45 m

Visible Surface -----
Secondary Surface



1344 - Glazing adaptor - 45° (internal corner)



Perimeter = 149 mm
Length = 6.45 m

Visible Surface -----
Secondary Surface

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.



comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

1

Standard Profiles


Comar 6EFT

1345 - 42mm glazing pocket closer

Perimeter = 104 mm


Length = 6.45 m

Visible Surface -----



1.88

1346 - Composite panel frame



Perimeter = 104 mm

Length = 6.45 m


Visible Surface -----

1348 - Wall connection

Perimeter = 208 mm

Length = 6.45 m

Visible Surface -----




Profiles Identification

Standard Profiles


1

Comar 6EFT




1.89

1366 - Mullion sleeve - 40.3mm




$$\begin{aligned} I_{xx} &= 5.6 \text{ cm}^4 \\ I_{yy} &= 8.2 \text{ cm}^4 \\ Z_{xx} &= 3.3 \text{ cm}^3 \\ Z_{yy} &= 4.1 \text{ cm}^3 \end{aligned}$$




Perimeter = 200 mm
Length = 6.45 m

Visible Surface - - - - -

1368 - Mullion sleeve - 85.3mm



$$\begin{aligned} I_{xx} &= 61.7 \text{ cm}^4 \\ I_{yy} &= 7.3 \text{ cm}^4 \\ Z_{xx} &= 15.6 \text{ cm}^3 \\ Z_{yy} &= 3.7 \text{ cm}^3 \end{aligned}$$



Perimeter = 458 mm
Length = 6.45 m

Visible Surface - - - - -

Profiles Identification



comar
ARCHITECTURAL ALUMINIUM SYSTEMS

Changes reserved
Sous reserve de modifications
Änderungen vorbehalten


Issue: 05
Date : 10-16

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.


1

Standard Profiles

Comar 6EFT



1431 - Corner cleat - 4.5 mm




Perimeter = xxx mm
Length = 6.45 m

Visible Surface - - - - -

1.90

1435 - Corner cleat - 11.8 mm



Perimeter = xxx mm
Length = 6.45 m

Visible Surface - - - - -

Profiles Identification


Changes reserved
Sous réserve de modifications
Änderungen vorbehalten

Issue: 05
Date :10-16


Standard Profiles

1

Comar 6EFT



1.91



1387 - Double glazed spacer bar insert (14mm)


Perimeter = 155 mm
Length = 6.45 m

Visible Surface - - - - -

1388 - Double glazed spacer bar insert (12mm)

Perimeter = 167 mm
Length = 6.45 m


Visible Surface - - - - -



1389 - Double glazed spacer bar insert (10mm)

Perimeter = 112 mm
Length = 6.45 m

Visible Surface - - - - -



comar
ARCHITECTURAL ALUMINIUM SYSTEMS


Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16


1

Standard Profiles

Comar 6EFT



1316 - Double glazed spacer bar insert (16mm)



Perimeter = 121 mm
Length = 6.45 m


Visible Surface -----

1.92

1318 - Double glazed spacer bar insert (18mm)

Perimeter = 125 mm
Length = 6.45 m


Visible Surface -----



1390 - Double glazed spacer bar insert (20mm)

Perimeter = 129 mm
Length = 6.45 m

Visible Surface -----




Profiles Identification

Standard Profiles


1

Comar 6EFT



1425 - Direct fix to steel fixing lug

1.93




Perimeter = 125 mm

Length = 6.45 m

Visible Surface - - - - -

1230 - Flat bar - 30mm x 2mm



Perimeter = 64 mm

Length = 6.45 m


Visible Surface - - - - -

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.


1

Standard Profiles

Comar 6EFT



1403 - Glass setting block - 5mm x 33mm




Perimeter = 89.3 mm
Length = 6.45 m

1.94

Visible Surface - - - - -

1415 - Glass setting block - 4mm x 40 mm




Perimeter = 104 mm
Length = 6.45 m

Visible Surface - - - - -

1412 - Glass setting block - 4mm x 33mm

Perimeter = 87 mm
Length = 6.45 m

Visible Surface - - - - -




Profiles Identification


Standard Profiles

1

Comar 6EFT



1391 - Double glass clamp



Perimeter = 87 mm

Length = 6.45 m

Visible Surface - - - - -


1.95

1392 - 2sided SGH/4sided SG Corner double glazed clamp


Perimeter = 189 mm

Length = 6.45 m

Visible Surface - - - - -



1393 - Panel clamp



Perimeter = 88 mm

Length = 6.45 m


Visible Surface - - - - -

1


Standard Profiles

Comar 6EFT

4003 - Concealed vent outer frame



1.96



Perimeter = 419.5 mm
Length = 6.45 m

Visible Surface - - - - -

Profiles Identification


Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date :10-16

Standard Profiles


1

Comar 6EFT



4011 - Concealed vent inner frame

1.97



Perimeter = 320 mm
Length = 6.45 m

Visible Surface - - - - -
Bonding Surface —...—


Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.

1

Standard Profiles

Future Additions

Comar 6EFT



1.98

FUTURE
ADDITION

Fabricators Guide


Changes reserved
Sous reserve de modifications
Änderungen vorbehalten

Issue: 05
Date : 10-16

Standard Profiles

1

Comar 6EFT



1.99

Future Additions

FUTURE
ADDITION

Copyright and ownership of this drawing is vested in EFT,
Euro Facade Systems Ltd, whose prior written consent is required
for its use, reproduction or for publication to any third party.
All other rights reserved. Subject to modifications.